




# Bright Spaces, Better Living

CONSUMER LIGHTING CATALOGUE / 2024-2025

ORIENT ELECTRIC LIMITED  
240, Okhla Industrial Area Phase III,  
New Delhi 110020, India



Scan for our latest products

THOUGHTFULLY CURATED  
LIGHTS FOR YOU



### TRACK LIGHTS

Track lights provide precise illumination to highlight artwork, architectural features, and key areas. Ideal for modern interiors, these versatile lights offer flexible lighting solutions to suit any need.



### READING LIGHTS

Brighten up your reading nook with focused, flicker-free illumination that minimizes eye strain, making long reading sessions comfortable.



### WALL LIGHTS

Add depth and character to your interiors with versatile wall lights that create inviting atmospheres and accentuate architectural details.



### LED COB LIGHTS

LED cob lights are powerful, energy efficient lights that are ideal for highlighting features and accents.

## CONTENT

LED COB LIGHTS	16
LED MAGNETIC TRACKS	44
LED PANEL LIGHTS	56
LED DOWNLIGHTERS	76
LED SPOT LIGHTS	92
EMERGENCY	98
EYELUV	104
LED LAMPS	112
LED BATTENS	128
OUTDOOR LIGHTS	138
LED DESK LAMPS	148
HOME DECOR SERIES & ACCESSORIES	158



### CABINET LIGHTS

Illuminate your cabinets and shelves effortlessly, ensuring every corner shines with practical, space-saving lighting solutions.



### COB DOWNLIGHTERS

Transform your space with these ceiling light fixtures that illuminate larger areas as well as highlight accents and enhance architectural details.



### STRIP LIGHTS

Versatile and vibrant, strip lights bring a splash of color and creativity, enhancing ambiance in kitchens, living rooms, and more.

## WHERE COMFORT MEETS LIGHT

Illuminate your life with the perfect blend of warmth and practicality. At Orient Electric, we know that the right lighting can elevate every space. From creating a cosy ambiance in your living room to adding practical brilliance in the kitchen, our solutions enhance both style and function.



Downlighter

Magnetic Track

### OPTIMAL LIGHTING FOR EVERYDAY LIVING

Track lights provide precise illumination to highlight artwork, architectural features, and key areas. Ideal for modern interiors, these versatile lights offer flexible lighting solutions to suit any need.

LIVING ROOM LIGHTS



From cosy corners to bright workspaces, we blend efficiency with elegance to brighten your life.

Rope Light

Downlighter

Orismart Bulb

COB Spot Light

Deco Wall Light

## SET THE STAGE FOR EVERY FEAST

The dining room is where meals turn into cherished moments with lighting that blends seamlessly with your decor. Enhance your space with downlighter panels for even illumination, wall lights for a cosy ambiance, and smart bulbs to set the perfect mood for any occasion.



## SEE EVERY MEAL IN A NEW LIGHT

From early breakfasts to late-night snacks, our kitchen lighting makes every moment enjoyable. Profile lights offer clean, linear illumination, spot lights focus on task areas, strip lights brighten under-cabinet spaces, and cabinet lights add convenience for a well-lit and efficient cooking experience.



KITCHEN LIGHTS

Flexi Spot Light

Reading Light

## CALM AND COMFORT WITH EVERY LIGHT

Turn your bedroom into a relaxing retreat with Orient Electric's calming lights. Use a central light source for soft, indirect glow, focus lights to accentuate art and decor, and wall lights to create a warm, inviting ambiance.




Experience clear visibility with versatile cabinet lights for your closets and cabinets, making every corner easily accessible.



## OUTDOOR LIGHTING, PERFECTED

Transform your home's exterior with lighting that embodies your personal style. From captivating wall lights to sophisticated gate lights, each design is crafted to bring out the finest details. Whether it's lighting up the pathway to your home, illuminating the façade, or enriching the beauty of your outdoor spaces, our lights create a warm and lasting impression.



# LED COB LIGHTS

Highlight your space with the focused beams of COB lights. Ideal for accentuating artwork, architectural details, unique décor pieces and key areas, these lights provide customisable illumination with various beam angles. Their compact design merges efficiency with a contemporary look, enhancing both style and function.



Home



Office




Retail Shop



Showroom



Restaurant



Art gallery



# INFINITY LASER LIGHT - LINEAR


The Infinity Laser Light is a lightweight, low-profile fixture that easily integrates into any ceiling, making it ideal for general, accent, and display lighting in your space.



Details	Infinty Laser Light			
	6W	10W	20W	30W
Rated Wattage	6W	10W	20W	30W
Lumen(AC)	450lm	800lm	1600lm	2500lm
Power Factor	>0.90	>0.90	>0.90	>0.90
Colour Temperature	6500K, 3000K, 4000k	6500K, 3000K, 4000k	6500K, 3000K, 4000k	6500K, 3000K, 4000k
CRI	>80	>80	>80	>80
Shape	Rectangle	Rectangle	Rectangle	Rectangle
Cut-out size	85x40mm	140x40mm	270x40mm	405x40mm
Protection Class	IP 20	IP 20	IP 20	IP 20
Housing	Aluminium	Aluminium	Aluminium	Aluminium
MRP (₹)	1600	2250	3500	4200
Std. Pkg.	20	20	20	20

Rated Wattage	6W	10W	20W	30W
Length(A)	92	147	280	412
Width (B)	44	44	44	44
Height (C)	31	31	31	31

All dimensions are in mm




# INFINITY LASER LIGHT - SQUARE

The Infinity Laser Light's lightweight and low-profile design allows it to fit seamlessly into any ceiling, making it suitable for general, accent, and display lighting needs.

Details	Infinty Laser Light		
Rated Wattage	8W	18W	32W
Lumen(AC)	700lm	1520lm	2700lm
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	6500K, 3000K, 4000k	6500K, 3000K, 4000k	6500K, 3000K, 4000k
CRI	80	80	80
Shape	Square	Square	Square
Cut-out size	70x70mm	95x95mm	125x125mm
Protection Class	IP 20	IP 20	IP 20
Housing	Aluminium	Aluminium	Aluminium
MRP (₹)	2100	3200	5500
Std. Pkg.	20	20	20


Rated Wattage	8W	18W	32W
Length(A)	74	103	133
Width (B)	74	103	133
Height (C)	33	33	33

All dimensions are in mm



# COB DOWNLIGHTER PRISM SURFACE FOLD

This surface COB downlighter features track functionality, allowing you to adjust the light direction by moving and twisting the fixture. Ideal for versatile lighting in various spaces, it offers flexibility in highlighting specific areas or changing the illumination angle as needed.



Details	Prism Fold Surface
Rated wattage	12W
Lumen (AC)	960lm
Power Factor	>0.5
Colour Temperature	6500K/3000K/4000K
CRI	>80
Shape	Cylinder
Beam Angle	40°
Protection Class	IP20
Housing	Aluminium
Reflector Colour	Black
MRP (₹)	2400
Std Pkg.	20

Rated Wattage	12W
Length (A)	58
Width (B)	107


All dimensions are in mm



# COB DOWNLIGHTER

## PRISM-SURFACE


Featuring an elegant gold finish reflector and a cylindrical design, this downlighter provides a 40-degree beam angle for precise illumination. Suitable for various outdoor and indoor areas like hallways, patios, and entrances.



Details	Prism Surface COB Downlighter	
Rated Wattage	6W	12W
Lumen	480	960
Power Factor	>0.9	>0.9
Colour Temperature	3000K/4000K/6500K	3000K/4000K/6500K
CRI	>80	>80
Shape	Round	Round/Square
Beam Angle	40°	40°
Protection Class	IP20	IP20
Housing	Aluminium Die Casting	Aluminium Die Casting
Reflector Colour	Golden	Golden
MRP (₹)	1500	2000
Std. Pkg.	20	20

Rated Wattage	Length (A)	Width (B)
6W - Cylinder	80	55
12W - Cylinder	90	77
12W - Square	92	77

All dimensions are in mm



# COB DOWNLIGHTER PRISM COSMIC


With a sleek rimless design and advanced optics, this downlighter delivers precise, focused lighting ideal for modern living rooms and offices. The swivel feature allows up to 30-degree rotation, offering flexible light positioning to highlight key areas with a premium finish.



Details	Prism Cosmic COB Downlighter		
Rated wattage	6W	12W	18W
Lumen (AC)	480	960	1440
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K
CRI	>80	>80	>80
Shape	Round	Round	Round
Beam Angle	24°	24°	24°
Cut-out	55mm	75mm	95mm
Protection Class	IP20	IP20	IP20
Housing	Aluminium	Aluminium	Aluminium
Reflector Colour	Black	Black	Black
MRP (₹)	1400	2200	2500
Std Pkg.	20	20	20

Rated Wattage	6W	12W	18W
Length (A)	67	85	102
Width (B)	71	82	100
Cut-Out (C)	55	75	95

All dimensions are in mm



# COB DOWNLIGHTER PRISM TWIST


With adjustable light angles up to 30 degrees, this prism downlighter makes it perfect for highlighting artwork, architectural features, or any space where flexible, directional lighting is required.



Details	Prism Twist COB Downlighter		
Rated Wattage	6W	12W	18W
Lumen(AC)	480lm	960lm	1440lm
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K
CRI	>80	>80	>80
Shape	Round	Round	Round
Beam Angle	36°	36°	36°
Cut-out	55mm	75mm	95mm
Protection Class	IP20	IP20	IP20
Housing	Aluminium	Aluminium	Aluminium
Reflector Colour	Black	Black	Black
MRP (₹)	1200	1800	2200
Std. Pkg	20	20	20

Rated Wattage	6W	12W	18W
Length (A)	67	85	102
Width (B)	71	82	100
Cut-Out (C)	55	75	95

All dimensions are in mm



# COB DOWNLIGHTER


## PRISM CLASSIC

Enhance your contemporary home with sleek design and superior light distribution. Perfect for hallways, lobbies, and dining areas, these downlighters provide versatile accent lighting that elevates the ambiance of various spaces, from walls and living rooms to dining areas and bedrooms.



Details	Prism Classic COB Downlighter		
Rated Wattage	5W	10W	15W
Lumen(AC)	300lm	600lm	900lm
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K
CRI	>80	>80	>80
Shape	Round	Round	Round
Beam Angle	24°	24°	24°
Cut-out	35mm	45mm	55mm
Protection Class	IP20	IP20	IP20
Housing	Aluminium	Aluminium	Aluminium
Reflector Colour	Black	Black	Black
MRP (₹)	800	1000	1500
Std. Pkg	20	20	20

Rated Wattage	5W	10W	15W
Length (A)	42	54	66
Width (B)	56	70	85
Cut-Out (C)	35	45	55



All dimensions are in mm



# COB DOWNLIGHTER PRISM NEO



Revamp your space with the Prism Neo COB downlighter available in elegant rose gold, timeless white, and striking black finishes. This premium downlighter delivers exceptional light quality, bringing a touch of luxury to hallways, lobbies, dining rooms, and more, effortlessly elevating the ambiance of any room.



Details	Prism Neo COB Downlighter		
Rated wattage	6W	12W	18W
Lumen (AC)	480lm	960lm	1440lm
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K
CRI	>80	>80	>80
Shape	Round	Round	Round
Beam Angle	36°	36°	36°
Cut-out	55mm	75mm	90mm
Protection Class	IP20	IP20	IP20
Housing	Aluminium	Aluminium	Aluminium
Reflector Colour	Black/Copper/White	Black/Copper/White	Black/Copper/White
MRP (₹)	1200	1800	2400
Std Pkg.	20	20	20

Rated Wattage	6W	12W	18W
Length (A)	65	85	105
Width (B)	60	80	100
Cut-Out (C)	55	75	95

All dimensions are in mm



# COB DOWNLIGHTER PRISM RECESS


With an elegant gold finish reflector, this downlighter provides up to 36-degree beam angle for precise illumination. Perfect for highlighting artwork, architectural details, or any focal point in your space.



Details	Prism Recess COB Downlighter			
Rated Wattage	6W	9W	12W	15W
Lumen(AC)	480lm	720lm	960lm	1200lm
Power Factor	>0.9	>0.9	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K
CRI	>80	>80	>80	>80
Beam Angle	36°	36°	36°	36°
Shape	Round	Round	Round	Round
Cut-out	55mm	65mm	75mm	75mm
Protection Class	IP20	IP20	IP20	IP20
Housing	Aluminium	Aluminium	Aluminium	Aluminium
Reflector Colour	Copper	Copper	Copper	Copper
MRP (₹)	1500	1800	2000	2200
Std. Pkg	20	20	20	20

Rated Wattage	6W	9W	12W	15W
Length (A)	66	75	85	85
Width (B)	65	65	72	72
Cut-Out (C)	55	65	75	75

All dimensions are in mm



# COB DOWNLIGHTER PRISM DEEP 3CCT


This deep COB downlighter provides 3-in-1 lighting with adjustable colour temperatures—cool white, neutral white, and warm white. Ideal for bedrooms, lounges, and conference rooms, it creates a customised ambiance for any mood or activity. The design minimises glare by keeping the light source hidden, offering gentle illumination that's easy on the eyes.

Details	Prism COB Deep Downloader 3in1	
Rated Wattage	5W	12W
Lumen(AC)	350	960
Power Factor	>0.9	>0.9
Colour Temperature	3 in1 (6500K/3000K/4000K)	3 in1 (6500K/3000K/4000K)
CRI	>80	>80
Shape	Round	Round
Beam Angle	24°	24°
Cut-out	45mm	60mm
Protection Class	IP20	IP20
Housing	Aluminium	Aluminium
Reflector Colour	Copper	Copper
MRP (₹)	1200	1750
Std. Pkg	20	20

Rated Wattage	5W	12W
Length (A)	46	60
Width (B)	60	80
Cut-Out (C)	45	60

All dimensions are in mm

# 3 IN 1



# COB DOWNLIGHTER PRISM PRO


With a sleek black chrome finish and 3CCT functionality, this downlighter lets you adjust the light to suit your mood and enhance your interior design.



Details	Prism Neo COB Downlighter		
Rated wattage	6W	12W	18W
Lumen (AC)	480lm	960lm	1440lm
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	3in1(6000K/3000K/4000K)	3in1(6000K/3000K/4000K)	3in1(6000K/3000K/4000K)
CRI	>80	>80	>80
Shape	Round	Round	Round
Beam Angle	36°	36°	36°
Cut-out	55mm	75mm	95mm
Protection Class	IP20	IP20	IP20
Housing	Aluminium	Aluminium	Aluminium
Reflector Colour	Black	Black	Black
MRP (₹)	1200	1600	2000
Std Pkg.	20	20	20


Rated Wattage	6W	12W	18W
Length (A)	65	85	105
Width (B)	45	58	71
Cut-Out (C)	55	75	95

All dimensions are in mm



# COB DOWNLIGHTER PRISM RAINBOW


Brighten your space with vibrant colours and multiple hues. This downlighter is ideal for adding dynamic, playful lighting effects in entertainment areas, kids' rooms, or creative spaces.



Details	Prism Rainbow COB Downlighter	
Rated Wattage	5W	10W
Lumen(AC)	325lm	650lm
Power Factor	>0.9	>0.9
Colour Temperature	2 in 1 (6000K + Blue /3000K + Blue/ 4000K + Blue)	2 in 1 (6000K + Blue /3000K + Blue/ 4000K + Blue)
CRI	>80	>80
Shape	Round	Round
Beam Angle	24°	24°
Cut-out	55mm	75mm
Protection Class	IP20	IP20
Housing	Aluminium	Aluminium
MRP (₹)	1325	1700
Std. Pkg	20	20

Rated Wattage	5W	10W
Length (A)	67	93
Width (B)	52	85
Cut-Out (C)	55	75

All dimensions are in mm



# COB DOWNLIGHTER PRISM SPOT


With a slim design and narrow beam angle of 20 degrees, it is perfect for lighting up niches, cabinets and highlighting specific areas.



Details	Prism COB Spot
Rated wattage	3W
Lumen	190lm
Power Factor	>0.9
Colour Temperature	6500K/3000K/4000K
CRI	>80
Shape	Round
Beam Angle	20°
Protection Class	IP20
Housing	Aluminium, Die Casting
MRP (₹)	300
Std Pkg.	50

Rated Wattage	3W
Length (A)	38
Width (B)	30
Cut-Out (C)	40

All dimensions are in mm




# COB DOWNLIGHTER DEEP RECESS

With a unique narrow beam angle and sleek design, this downlighter is ideal for ceilings with limited height. Its aluminium housing ensures effective heat management and reduces glare, providing illumination without compromising aesthetics, making it perfect for extended use.



Details	COB Downlighter - Deep Recess						
Rated Wattage	3W	6W	9W	15W	18W	24W	30W
Lumen	210	420	720	1200	1500	1920	2400
Power Factor	>0.90	>0.90	>0.90	>0.90	>0.90	>0.90	>0.90
Colour Temperature	6500K, 4000K, 3000K	6500K, 4000K, 3000K	6500K, 4000K, 3000K	6500K, 4000K, 3000K	6500K, 4000K, 3000K	6500K, 4000K, 3000K	6500K, 4000K, 3000K
CRI	>80	>80	>80	>80	>80	>80	>80
Shape	Round	Round	Round	Round	Round	Round	Round
Beam Angle	30°	30°	30°	30°	30°	30°	30°
Swivel Arrangement	Up to 60°	Up to 60°	Up to 60°	Up to 60°	Up to 60°	Up to 60°	Up to 60°
Cut-out size (mm)	Ø52mm	Ø68mm	Ø68mm	Ø89mm	Ø111mm	Ø135mm	Ø145mm
Housing	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
MRP (₹)	600	800	1000	1500	1800	2500	3000
Std. Pkg.	20	20	20	20	10	10	10

Rated Wattage	3W	6W	9W	15W	18W	24W	30W
Dia (A)	67	85.5	85.5	107.5	137.5	145	165
Height (B)	53.5	60	85	95.5	87	83	90
Cut-Out (C)	55	68	68	89	111	135	145



All dimensions are in mm

# COB DOWNLIGHTER CRYSTAL RECESS


With a slim design and wide beam angle, this downlighter is ideal for showrooms and large spaces. Its broad illumination ensures even lighting across expansive areas, making it perfect for highlighting displays and creating a well-lit environment.



Details	Crystal Recess COB
Rated Wattage	24W
Lumen	1500 lm
Power Factor	>0.9
Colour Temperature	6500K/3000K/4000K
CRI	>80
Shape	Round
Cut Out	195
Protection Class	IP 20
Housing	Aluminium
MRP (₹)	1200
Std Pkg.	10

Rated Wattage	24W
Dia (A)	211
Height (B)	55
Cut-Out (C)	195x195

All dimensions are in mm



# COB DOWNLIGHTER



## 3W MINI 3CCT

Enjoy the flexibility of three colour options—cool white (6500K), neutral white (4000K), and warm white (3000K)—all in one downlighter. Easily change colours to match your mood with a simple on-off switch.

Details	COB Downlighter Mini
Rated Wattage	3W
Lumen	180
Power Factor	>0.5
Colour Temperature	3 in 1 (6500, 4000k, 3000k)
CRI	>80
Shape	Round
Beam Angle	30°
Swivel Arrangement	Upto 20°
Protection Class	IP20
Housing	Polycarbonate
MRP (₹)	500
Std. Pkg.	50

Rated Wattage	Length (A)	Width (B)	Cut-Out (C)
3W	75	39	55

All dimensions are in mm



# 3 IN 1



Switch to warm light for winding down, neutral light for your daily routines, or cool light when you need to focus.




# COB DOWNLIGHTER 3W MINI

With a narrow beam angle and compact design, this downlighter excels at highlighting focal points such as artwork or niche areas. Ideal for smaller spaces or accent lighting, it offers an affordable yet effective solution for targeted illumination.

Details	COB Downlighter Mini
Rated Wattage	3W
Lumen	195
Power Factor	>0.5
Colour Temperature	6500K, 4000K, 3000K, Red, Blue, Pink, Green
CRI	>80
Shape	Round
Beam Angle	30°
Swivel Arrangement	Upto 60°
Protection Class	IP20
Housing	Polycarbonate
MRP (₹)	450
Std. Pkg.	50

Rated Wattage	Length (A)	Width (B)	Cut-Out (C)
3W	75	39	55

All dimensions are in mm



# COB DOWNLIGHTER SPOT LIGHT


Features a compact, round design and narrow beam angle, perfect for low ceilings and highlighting specific areas. Ideal for cabinets and niches, with an adjustable light angle for versatile, focused illumination.



Details	LED COB Spot Light			
Rated Wattage	3W	6W	9W	12W
Lumen	240	510	765	1020
Shape	Round	Round	Round	Round
Cut-out size (mm)	52mm	68mm	90mm	115mm
Power Factor	>0.90	>0.90	>0.90	>0.90
Colour Temperature	6500K, 4000K, 3000K	6500K, 4000K, 3000K	6500K, 4000K, 3000K	6500K, 4000K, 3000K
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Beam Angle	40°	40°	40°	40°
Swivel Arrangement	30°	30°	30°	30°
MRP (₹)	450	600	750	1000
Std. Pkg.	20	20	20	20

Rated Wattage	3W	6W	9W	12W
Length (A)	75	95	117	140
Width (B)	43	46	52	55
Cut-Out (C)	52	68	90	115

All dimensions are in mm



# MAGNETIC TRACKS

Magnetic track lighting systems offer flexible and customisable lighting solutions. They allow you to easily adjust and reposition lights to focus on specific areas or adapt to changing needs for spaces like living rooms and display areas.



# MAGNELITE FOLD


Bring flexibility to your lighting setup with the Magnelite Fold. Its adjustable design allows you to direct light precisely where needed, making it perfect for dynamic spaces that require adaptable lighting solutions.



Details	Magnelite fold		
Rated Wattage	6W	12W	18W
Lumen	420lm	840lm	1260lm
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	3000k, 4000k	3000k, 4000k	3000k, 4000k
CRI	>80	>80	>80
Protection Class	IP 20	IP 20	IP 20
Housing	Aluminium	Aluminium	Aluminium
Beam Angle	24°	24°	24°
MRP (₹)	1100	1450	1900
Std. Pkg.	20	20	20

<b>Rated Wattage</b>	6W	12W	18W
<b>Length (A)</b>	116	230	331
<b>Width (B)</b>	22	22	22
<b>Height (C)</b>	100	100	100

All dimensions are in mm



# MAGNELITE LINEAR


For clean, uninterrupted lines of light, the Magnelite Linear is your go-to. It provides a continuous beam, ideal for office spaces, corridors, or any area that benefits from uniform lighting.



Details	Magnelite Linear	
Rated Wattage	10W	20W
Lumen	235lm	570lm
Power Factor	>0.90	>0.90
Colour Temperature	3000k, 4000k	3000k, 4000k
CRI	>80	>80
Protection Class	IP 20	IP 20
Housing	Aluminium	Aluminium
Beam Angle	120°	120°
MRP (₹)	800	1500
Std. Pkg.	20	20

<b>Rated Wattage</b>	10W	20W
<b>Length (A)</b>	300	600
<b>Width (B)</b>	22	22
<b>Height (C)</b>	25	25

All dimensions are in mm



# MAGNELITE GRILL



Apt for creating a patterned light effect in any room, the Magnelite Grill disperses light evenly, creating an ambient glow that complements your interior design.



Details	Magnelite Grill		
Rated Wattage	6W	12W	18W
Lumen	420lm	840lm	1260lm
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	3000k, 4000k	3000k, 4000k	3000k, 4000k
CRI	>80	>80	>80
Protection Class	IP 20	IP 20	IP 20
Housing	Aluminium	Aluminium	Aluminium
Beam Angle	24°	24°	24°
MRP (₹)	700	1000	1200
Std. Pkg.	20	20	20

Rated Wattage	6W	12W	18W
Length (A)	112	220	323
Width (B)	22	22	22
Height (C)	25	25	25

All dimensions are in mm





# MAGNELITE TRACK LIGHT

Illuminate your spaces with precision using the Magnelite Track. Ideal for highlighting specific areas or creating a well-lit environment, this track provides focused lighting that enhances both function and style.

Details	Magnelite Track Light			
Rated Wattage	7W	10W	15W	20W
Lumen	420lm	600lm	900lm	1200lm
Power Factor	>0.90	>0.90	>0.90	>0.90
Colour Temperature	3000k/4000k	3000k/4000k	3000k/4000k	3000k/4000k
CRI	>80	>80	>80	>80
Protection Class	IP 20	IP 20	IP 20	IP 20
Housing	Aluminium	Aluminium	Aluminium	Aluminium
Beam Angle	24°	24°	24°	24°
MRP (₹)	1100	1325	1500	1700
Std. Pkg.	20	20	20	20

<b>Rated Wattage</b>	7W	10W	15W	20W
<b>Length (A)</b>	80	100	115	135
<b>Dia (B)</b>	35	45	55	65

All dimensions are in mm



# MAGNETIC TRACK CHANNEL

Create a seamless lighting experience with the Magnetic Track Channel, designed for both recessed and surface installations. It provides a stable base for your magnetic lights, ensuring they stay securely in place while allowing for easy adjustments and reconfigurations.

Type	Recess Type	Surface Type
Length	1 Meter	1 Meter
Housing	Aluminium	Aluminium
MRP (₹)	1200	1200
Std Pkg.	5	8

Rated Wattage	Recess Type	Surface Type
Length (A)	1000	1000
Width (B)	62.5	26.4
Height (C)	45.1	50.50
Cut-outv	N/A	30.7

All dimensions are in mm



# LED SURFACE TRACK LIGHT

Its 38-degree beam angle for balanced illumination makes these lights ideal for accent lighting. Adjustable to highlight specific areas or architectural details, these offer flexible positioning. Aluminium housing ensures effective heat management for long-lasting performance.

Details	LED Surface Track Light				
Rated Wattage	7W	10W	15W	20W	30W
Lumen	600	800	1200	1600	2400
Power Factor	>0.90	>0.90	>0.90	>0.90	>0.90
Colour Temperature	3000k, 4000k, 6000k	3000k, 4000k, 6000k	3000k, 4000k, 6000k	3000k, 4000k, 6000k	3000k, 4000k, 6000k
CRI	>80	>80	>80	>80	>80
Protection Class	IP 20	IP 20	IP 20	IP 20	IP 20
Beam Angle	38°	38°	38°	38°	38°
Housing	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
MRP (₹)	1000	1050	1300	2000	2500
Std. Pkg.	20	20	20	20	20



Rated Wattage	7W	10W	15W	20W	30W
Length (A)	100	100	140	140	167
Width (B)	65	82	82	122	143
DIE (C)	46	46	73	73	87
Height (D)	95	95	135	135	157

All dimensions are in mm



# LED COB TRACK LIGHT


An adjustable narrow beam angle allows this track light to focus on artworks or architectural details. The aluminium housing manages heat efficiently, while its flexibility lets you direct light precisely where needed.



Details	LED COB Track Light		
Rated Wattage	15W	20W	30W
Lumen	1200	1500	2400
Shape	Round	Round	Round
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	6500K, 3000K, 4000K	6500K, 3000K, 4000K	6500K, 3000K, 4000K
Housing	Aluminium Die casting	Aluminium Die casting	Aluminium Die casting
CRI	>80	>80	>80
Protection Class	IP 20	IP 20	IP 20
Beam Angle	38°	38°	38°
MRP (₹)	1200	1800	2200
Std. Pkg.	20	20	20

Rated Wattage	15W	20W	30W
Length (A)	158	158	182
Width (B)	103	122	143
Dia (C)	73	73	87
Height (D)	128	135	168

All dimensions are in mm



# LED PANEL LIGHTS

LED panel lights bring even, bright illumination to your space, with 3CCT options to customise the ambiance. Their slim profile fits seamlessly into any room, offering both energy efficiency and long-lasting performance.



Home



Offices




Showrooms



Restaurants



Hospitals



# LED RECESS PANEL EDGELIT METAL

Designed with edge-lit technology, these panels deliver uniform, glare-free light while being 60% more energy-efficient than traditional downlights.


Details	LED Recess Panel Edgelit Metal				
Rated Wattage	3W	6W	12W	18W	24W
Lumen	240	430	880	1600	2100
Power Factor	>0.90	>0.90	>0.90	>0.90	>0.90
Colour Temperature	3000K,4000K, 6500K	3000K,4000K, 6500K	3000K,4000K, 6500K	3000K,4000K, 6500K	3000K,4000K, 6500K
Shape	Square/Round	Square/Round	Square/Round	Square/Round	Square
Housing	Aluminium Die Casting	Aluminium Die Casting	Aluminium Die Casting	Aluminium Die Casting	Aluminium Die Casting
Protection Class	IP20	IP20	IP20	IP20	IP20
CRI	>80	>80	>80	>80	>80
MRP (₹)	400	700	900	1400	1800
Std. Pkg	20	20	20	06	10



## Square

Rated Wattage	3W	6W	12W	18W	24W
Length (A)	85x85	120x120	170x170	225x225	300x300
Width (B)	21	21	21	21	21
Cut-Out (C)	70x70	110x110	160x160	205x205	270x270



All dimensions are in mm



## Round

Rated Wattage	3W	6W	12W	18W
Length (A)	85	120	170	225
Width (B)	21	21	21	21
Cut-Out (C)	70	110	160	205

All dimensions are in mm



# LED RECESS PANEL EDGE LIT-PC

With polycarbonate housing and edge-lit technology, this panel ensures glare-free, uniform light while being 60% more energy-efficient than traditional downlights. Ideal for living rooms, offices, and kitchens, its sleek design fits seamlessly into low-height ceilings for a refined look.

Details	LED Recess Panel - Polycarbonate				
Rated Wattage	3W	6W	12W	15W	18W
Lumen	225	450	1080	1200	1620
Power Factor	>0.90	>0.90	>0.90	>0.90	>0.90
Colour Temperature	3000K,4000K,6000K	3000K,4000K,6000K	3000K,4000K,6000K	3000K,4000K,6000K	3000K,4000K,6000K
Shape	Square/Round	Square/Round	Square/Round	Square/Round	Square
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP 20	IP20	IP20	IP20	IP20
CRI	>80	>80	>80	>80	>80
MRP (₹)	350	550	750	800	v950
Std Pkg.	20	20	20	20	10

### Square


Rated Wattage	3W	6W	12W/15W	18W
Length (A)	80x80	120x120	170x170	220x220
Width (B)	24	24	24	24
Cut-Out (C)	70x70	110x110	155x155	205x205

All dimensions are in mm

### Round


Rated Wattage	3W	6W	12W/15W	18W
Length (A)	80	120	170	220
Width (B)	24	24	24	24
Cut-Out (C)	70	110	155	205

All dimensions are in mm



# LED RECESS PANEL RAZOR

With edge-lit technology, this panel delivers glare-free light while saving up to 60% more energy than traditional downlights. Its sleek design and external driver make it easy to install in low-height ceilings. Ideal for offices, corridors, and modern homes.



### Square

Rated Wattage	6W	12W	15W	18W
Length (A)	118x118	142x142	167x167	216x216
Width (B)	22	22	22	22
Cut-Out (C)	100x100	125x125	150x150	200x200

All dimensions are in mm

### Round

Rated Wattage	6W	12W	15W	18W
Length (A)	118	142	167	216
Width (B)	22	22	22	22
Cut-Out (C)	100	125	150	200

All dimensions are in mm

Details	LED Recess Panel - Polycarbonate			
Rated Wattage	6W	12W	15W	18W
Lumen (AC)	480	960	1350	1620
Power Factor	>0.9	>0.9	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K
Shape	Round/Square	Round/Square	Round/Square	Round/Square
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20	IP20
CRI	>80	>80	>80	>80
MRP (₹)	550	750	800	950
Std Pkg.	20	20	20	10

# LED RECESS PANEL BACKLIT-PC


These panels use backlit LED technology to deliver bright illumination while saving up to 80% more energy compared to traditional downlights. Ideal for offices, retail spaces, and any area requiring efficient, high-quality lighting.



Details	LED Recess Backlit Panel				
Rated Wattage	10W	12W	15W	20W	24W
Lumen	1000	1200	1500	2000	2400
Power Factor	>0.90	>0.90	>0.90	>0.90	>0.90
Colour Temperature	3000K,4000K, 6000K	3000K,4000K, 6000K	3000K,4000K, 6000K	3000K,4000K, 6000K	3000K,4000K, 6000K
Shape	Square/Round	Square/Round	Square/Round	Square/Round	Square
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20	IP20	IP20
CRI	>80	>80	>80	>80	>80
MRP (₹)	700	750	800	1200	1500
Std. Pkg	20	20	20	10	10

## Round

Rated Wattage	10W	12W	15W	20W	24W
Length (A)	116x116	144x144	166x166	220x220	220x220
Width (B)	36	36	36	36	36
Cut-Out (C)	105	130	150	205	205




All dimensions are in mm



## Square

Rated Wattage	10W	12W	15W	20W	24W
Length (A)	116x116	144x144	166x166	220x220	220x220
Width (B)	36	36	36	36	36
Cut-Out (C)	105x105	130x130	150x150	205x205	205x205

All dimensions are in mm




# LED RECESS PANEL BACKLITE 1X1 24W

This sleek panel provides even, bright light, ideal for offices, schools, and commercial spaces. It reduces glare, fits seamlessly into ceilings, and saves up to 80% more energy than traditional lights.

Details	Backlite Recess Panel 1x1
Rated wattage	24W
Lumen	2400lm
Power Factor	>0.9
Colour Temperature	6500K/3000K/4000K
Shape	Square
Housing	CRCA
Protection Class	IP20
CRI	>80
MRP (₹)	2000
Std Pkg.	10

Rated Wattage	24W
Length (A)	295x295
Width (B)	36
Cut-Out (C)	275x275

All dimensions are in mm




# LED RECESS PANEL BACKLIT TRIM



With a slim housing design, this backlit panel fits seamlessly into low-height ceilings, making it ideal for modern offices, commercial spaces, and residential areas with limited ceiling height. It delivers brighter illumination while saving up to 80% more energy compared to traditional downlights.

Details	LED Recess Panel - Trim		
Rated Wattage	6W	12W	18W
Lumen	480lm	960lm	1440lm
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	3000K/4000K/6500K	3000K/4000K/6500K	3000K/4000K/6500K
Shape	Round/Square	Round/Square	Round/Square
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20
CRI	>80	>80	>80
MRP (₹)	450	700	900
Std. Pkg.	20	20	20



### Square

Rated Wattage	6W	12W	18W
Length (A)	96x96	130x130	166x166
Width (B)	27	27	27
Cut-Out (C)	80x80	105x105	140x140

All dimensions are in mm

### Round

Rated Wattage	6W	12W	18W
Length (A)	96	130	166
Width (B)	27	27	27
Cut-Out (C)	80	105	140

All dimensions are in mm


# LED RECESS PANEL VENUS GREEN

With backlit LED technology and a deep reflector, this panel provides bright, glare-free lighting. Ideal for retail stores, showrooms, and commercial spaces where clear illumination is essential. The external driver arrangement ensures dependable performance and straightforward installation.

Details	LED Recess Panel - Venus Green	
Rated Wattage	10W	15W
Lumen	1000	1500
Power Factor	>0.9	>0.9
Colour Temperature	6500K/3000K 4000K	6500K/3000K 4000K
Shape	Round	Round
Housing	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20
CRI	>80	>80
MRP (₹)	1000	1200
Std. Pkg	20	20

Rated Wattage	10W	15W
Length (A)	118	152
Width (B)	56	61
Cut-Out (C)	110	145

All dimensions are in mm




# LED RECESS PANEL BACKLIT ADJUSTABLE



This backlit panel includes an adjustable cutout size and a rimless diffuser, ensuring even light distribution. It is well-suited for use in workspaces, conference rooms, and living areas where consistent, bright lighting is essential. It provides brighter light and is 80% more energy-efficient than conventional downlights.



Adjustable Clip (60mm - 140mm)



Details	Backlit Recess Adjustable Panel	
Rated Wattage	12W	18W
Lumen	1200	1800
Power Factor	>0.9	>0.9
Colour Temperature	3000K,4000K, 6500K	3000K,4000K, 6500K
Shape	Round/Square	Square/Round
Housing	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20
CRI	>80	>80
MRP (₹)	900	1100
Std. Pkg.	20	20

## Square

Rated Wattage	12W	18W
Length (A)	120	170
Width (B)	38	38
Cut-Out (C)	60-100	60-140

All dimensions are in mm


## Round

Rated Wattage	12W	18W
Length (A)	120x120	170x170
Width (B)	38	38
Cut-Out (C)	60-100	60-140

All dimensions are in mm

# LED RECESS PANEL 3 IN 1 MOODLIGHT

This versatile panel offers three lighting options—cool white (6500K), neutral white (4000K), and warm white (3000K)—allowing you to adjust the ambiance to suit your mood or task. Ideal for living rooms, bedrooms, and multi-purpose spaces.



Details	LED Recess Panel - 3 in 1 (Moodlight)		
Rated Wattage	10W	12W	15W
Lumen	1000	1200	1500
Power Factor	<0.90	<0.90	<0.90
Colour Temperature	3 in 1 (6500K, 4000K, 3000K)	3 in 1 (6500K, 4000K, 3000K)	3 in 1 (6500K, 4000K, 3000K)
Shape	Round/Square	Round/Square	Round/Square
Cut-out Size (mm)	105	130	150
Housing	Polycarbonate	Polycarbonate	Polycarbonate
MRP	1000	1100	1200
Std Pkg	20	20	20

### Square

Rated Wattage	10W	12W	15W
Length (A)	116x116	144x144	166x166
Width (B)	36	36	36
Cut-Out (C)	105x105	130x130	150x150

All dimensions are in mm

### Round

Rated Wattage	10W	12W	15W
Length (A)	116x116	144x144	166x166
Width (B)	36	36	36
Cut-Out (C)	105	130	150

All dimensions are in mm

# LED RECESS PANEL 3CCT - RAZOR

The LED Recess Panel Razor offers uniform lighting with its slim profile that seamlessly integrates into ceilings. Featuring 3-in-1 color temperature options (cool, neutral, and warm white), this panel allows you to set the perfect ambiance for any room. Ideal for offices, retail spaces, and contemporary homes, it delivers efficient, glare-free illumination with customizable light settings to suit your mood or need.



### Square

Rated Wattage	6W	15W	18W
Length (A)	118x118	167x167	216x216
Width (B)	22	22	22
Cut-Out (C)	100x100	150x150	200x200


All dimensions are in mm

### Round

Rated Wattage	6W	15W	18W
Length (A)	118	167	216
Width (B)	22	22	22
Cut-Out (C)	100	150	200


All dimensions are in mm

Details	LED Recess Panel - 3CCT Razor		
Rated Wattage	6W	15W	18W
Lumen	480	1200	1620
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	3 in 1 (6500K, 4000K, 3000K)	3 in 1 (6500K, 4000K, 3000K)	3 in 1 (6500K, 4000K, 3000K)
CRI	>80	>80	>80
Shape	Round/Square	Round/Square	Round/Square
Protection Class	IP20	IP20	IP20
Housing	Polycarbonate	Polycarbonate	Polycarbonate
MRP	600	900	1000
Std Pkg	20	20	10



## LED RECESS PANEL RAINBOW – SQUARE


Available in five colour combinations (white-blue, white-warm, white-pink, white-green, white-RGB), this panel allows you to effortlessly switch between colours, enhancing the mood of any room with the flick of a switch. Ideal for entertainment areas, children’s rooms, and creative spaces.



Details	LED Recess Panel – Rainbow		
Rated wattage	3W	6W	12W
Lumen (AC)	225	450	960
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	White+Blue, White+Warm White, White+Pink, White+Green, White+PGB	White+Blue, White+Warm White, White+Pink, White+Green, White+PGB	White+Blue, White+Warm White, White+Pink, White+Green, White+PGB
Shape	Round/Square	Round/Square	Round/Square
Cut-out(mm)	70	120	160
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20
MRP (₹)	400	650	900
Std Pkg.	20	20	20

## LED RECESS PANEL RAINBOW – ROUND

Available in five colour combinations (white-blue, white-warm, white-pink, white-green, white-RGB), this panel allows you to effortlessly switch between colours, enhancing the mood of any room with the flick of a switch. Ideal for entertainment areas, children’s rooms, and creative spaces.



Rated Wattage	3W - Round	3W - Square	6W - Round	6W - Square	12W - Round	12W - Square
Length (A)	105	105x105	142	142x142	190	190x190
Width (B)	28	28	28	28	28	28
Cut-Out (C)	70	70x70	120	120x120	160	160x160

All dimensions are in mm




# LED SURFACE PANEL FULL SCREEN

The LED Surface Panel Full Screen provides consistent, glare-free light through its rimless diffuser, making it ideal for spaces like living rooms, kitchens, and offices. Its durable construction ensures reliable illumination, while efficient heat dissipation supports long-term use, offering both practicality and ease of installation.




Details	LED Surface Panel - Full Screen			
Rated Wattage	6W	12W	18W	24W
Lumen (AC)	510	990	1480	1980
Power Factor	>0.9	>0.9	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K	6500K/3000K/4000K
Shape	Round/Square	Round/Square	Round/Square	Round/Square
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20	IP20
CRI	>80	>80	>80	>80
MRP (₹)	800	1000	1400	1800
Std. Pkg.	20	20	20	10




Rated Wattage	6W	12W	18W	24W
Length (A)	91	131	156	190
Width (B)	27	27	27	27

All dimensions are in mm



# LED SURFACE PANEL STRIKER

Brighten up compact spaces such as modular kitchens, wardrobes, and showcases with this slim, easy-to-install LED panel. It is designed to provide efficient, even lighting where you need it most, enhancing the functionality and aesthetics of smaller areas.



Details	LED Striker		
Rated Wattage	3W	6W	8W
Lumen	200	400	560
Power Factor	>0.90	>0.9	>0.9
Colour Temperature	6500K, 3000K, Blue, Greek, Pink	6500K, 3000K, Blue, Green, Pink	6500K, 3000K, Blue, Green, Pink
CRI	>80	>80	>80
Shape	Round	Round	Round
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20
MRP (₹)	200	400	500
Std. Pkg	50	50	50

Rated Wattage	3W	6W	8W
Length (A)	60	90	90
Mounting Hole (B)	45	75	75
Height (C)	16	16	16

All dimensions are in mm

LED STRIKER LIGHT



# LED DOWNLIGHTERS


Compact and efficient, these downlighters offer uniform, bright illumination ideal for general and task lighting. Their sleek design and energy-saving features make them perfect for contemporary interiors, providing uniform light without compromising on style.

-  Home
-  Office
-  Retail Shop
-  Showroom
-  College
-  School



# LED DOWNLIGHTER MOON LITE 5W MINI

The Moon Lite Mini downlighter provides uniform, functional illumination, perfect for highlighting smaller spaces such as workstations, reading nooks and hallways. Designed to fit a 3-inch junction box, it ensures a well-lit environment that enhances productivity and focus.




Details	Moon Lite Mini LED Downlighter
Rated Wattage	5W
Lumen	450
Shape	Round
Cut-out size (mm)	Ø75mm
Power Factor	>0.90
Colour Temperature	6500K, 3000K, 4000k, Red, Blue, Green & Pink
CRI	>80
Housing	Polycarbonate
Protection Class	IP20
MRP (₹)	350
Std. Pkg.	50

Rated Wattage	5W
Length (A)	108
Width (B)	26
Cut-Out (C)	75

All dimensions are in mm

# LED DOWNLIGHTER MOON LITE 3W MINI

The Moon Lite Mini downlighter, with a 3W output, is perfect for illuminating shelves, niches and highlighting accents. Its compact design ensures focused lighting that enhances the details of any space, making it ideal for subtle illumination.



Details	Moon Lite Mini LED Downlighter
Rated Wattage	3W
Lumen	240
Shape	Round
Cut-out size (mm)	48mm
Power Factor	>0.90
Colour Temperature	6500K, 3000K, 4000k, Red, Blue, Pink, Green
CRI	>80
Housing	Polycarbonate
Protection Class	IP20
MRP (₹)	400
Std. Pkg.	50

Rated Wattage	3W
Length (A)	81
Width (B)	35
Cut-Out (C)	48


All dimensions are in mm

# LED DOWNLIGHTER

## MOON LITE RECESS METAL


Designed for versatile use, this downlighter fits neatly into a 3-inch junction box and delivers uniform, reliable illumination. Ideal for hallways, offices, and other spaces requiring direct lighting, it ensures clear visibility and enhances your environment.

Details	LED Downlighter - Moon lite Recess	
Rated Wattage	6W	12W
Lumen	480	1020
Shape	Round	Round
Cut-out size (mm)	Ø62mm	Ø62mm
Power Factor	>0.90	>0.90
Colour Temperature	6500K, 3000K, 4000k, Red, Blue, Green & Pink	6500K, 3000K, 4000k, Red, Blue, Green & Pink
CRI	>80	>80
Housing	Metal	Metal
Protection Class	IP20	IP20
MRP (₹)	500	1000
Std. Pkg.	20	20



Rated Wattage	6W	12W
Length (A)	105	110
Width (B)	45	45
Cut-Out (C)	62	62

All dimensions are in mm




# LED DOWNLIGHTER RAINBOW RECESS

Available in four colour combinations - white-blue, white-warm, white-pink, and white-green - this recess downlighter lets you change the colour with a simple on-off switch. Perfect for adding customisable lighting effects in living rooms and bedrooms.



Details	LED Recess Downlighter -Rainbow	
Rated Wattage	6W	12W
Lumen	600	1200
Shape	Round	Round
Power Factor	>0.90	>0.90
Cut-out size (mm)	Ø48mm	Ø48mm
Colour Temperature	6500K + Blue 6500K + WW 6500K + Pink 6500K + Green	6500K + Blue 6500K + WW 6500K + Pink 6500K + Green
CRI	>80	>80
Housing	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20
MRP (₹)	600	1100
Std. Pkg.	20	20



Rated Wattage	6W	12W
Length (A)	88	118
Width (B)	42	42
Cut-Out (C)	48	48


All dimensions are in mm

# LED DOWNLIGHTER RAINBOW SURFACE

Surface-mounted and available in four different colour options, this downlighter lets you customise your lighting with ease. Ideal for adding a personal touch to living rooms, bedrooms, and other spaces where you want to create a unique ambiance.



Details	LED Surface Downlighter -Rainbow	
Rated Wattage	6W	
Lumen	600	
Shape	Round	
Power Factor	>0.90	
Colour Temperature	6500K + Blue 6500K + WW 6500K + Pink 6500K + Green	
CRI	>80	
Housing	Polycarbonate	
Protection Class	IP20	
MRP (₹)	650	
Std. Pkg.	20	



Rated Wattage	6W
Length (A)	86
Width (B)	44
Mounting (C)	48

All dimensions are in mm


# LED DOWNLIGHTER MOON LITE DEEP

Designed with a rimless diffuser for superior light distribution, this downlighter installs easily in deep junction boxes. Ideal for living rooms and hallways where consistent lighting is essential.

Details	LED Downlighter - Moon Lite Deep			
Rated Wattage	6W	9W	12W	15W
Lumen	600	900	1200	1500
Shape	Round	Round	Round	Round
Cut-out size (mm)	Ø48mm	Ø48mm	Ø48mm	Ø48mm
Power Factor	>0.90	>0.90	>0.90	>0.90
Colour Temperature	6500K, 3000K, Red, Blue, Green & Pink	6500K, 3000K, Red, Blue, Green & Pink	6500K, 3000K, Red, Blue, Green & Pink	6500K, 3000K, Red, Blue, Green & Pink
CRI	>80	>80	>80	>80
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20	IP20
MRP (₹)	450	550	650	750
Std. Pkg.	20	20	20	20

Rated Wattage	6W, 9W	12W, 15W
Length (A)	82	141
Width (B)	64	66
Cut-Out (C)	48	48

All dimensions are in mm




# LED DOWNLIGHTER MOON LITE

Delivers bright, even illumination with a sleek design, these are ideal for spaces requiring consistent lighting, such as work areas, study rooms and hallways.

Details	LED Downlighter - Moon lite		
Rated Wattage	5W	7W	9W
Lumen	450	590	765
Shape	Round	Round	Round
Cut-out size (mm)	Ø75mm	Ø75mm	Ø75mm
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	6500K, 3000K, Red, Blue, Green & Pink	6500K, 3000K, Red, Blue, Green & Pink	6500K, 3000K, Red, Blue, Green & Pink
CRI	>80	>80	>80
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP20	IP20	IP20
MRP (₹)	400	425	450
Std. Pkg.	20	20	20

Rated Wattage	5W, 7W, 9W
Length (A)	112
Width (B)	50
Cut-Out (C)	75

All dimensions are in mm



# LED DOWNLIGHTER MOODLIGHT 5W

A versatile downlighter that sets the perfect ambiance with adjustable brightness and colour temperature.


# 3 IN 1



Details	Moodlight LED Downlighter 3CCT
Rated Wattage	5W
Lumen	450
Shape	Round
Cut-out size (mm)	Ø75mm
Power Factor	>0.90
Colour Temperature	3 in 1 (6500K, 3000K, 4000k)
CRI	>80
Housing	Polycarbonate
Protection Class	IP20
MRP (₹)	500
Std. Pkg.	20

Rated Wattage	5W
Length (A)	112
Width (B)	50
Cut-Out (C)	75


All dimensions are in mm



# LED DOWNLIGHTER MULTICOLOUR 5W

This versatile downlighter lets you switch between red, blue, and pink lighting options with a simple on-off switch. Ideal for creating different moods in living rooms or bedrooms.


# 3 IN 1



Details	Multicolour LED Downlighter
Rated Wattage	5W
Shape	Round
Cut-out size (mm)	Ø75mm
Power Factor	>0.9
Colour Temperature	3 in 1 (Red, Blue & Pink)
CRI	>80
Housing	Polycarbonate
Protection Class	IP20
MRP (₹)	500
Std. Pkg.	20

Rated Wattage	5W
Length (A)	112
Width (B)	50
Cut-Out (C)	75


All dimensions are in mm



# LED DOWNLIGHTER MOODLIGHT MINI 3W

Customise your lighting with cool white, neutral white, and warm white options in one downlighter. Perfect for bedrooms, living rooms, or any space where you want adaptable lighting.

# 3 IN 1



Details	Moodlight Mini LED Downlighter
Rated Wattage	3W
Lumen	180
Shape	Round
Cut-out size (mm)	48mm
Power Factor	>0.90
Colour Temperature	3 in 1 6500K, 3000K, 4000k
CRI	>80
Housing	Polycarbonate
Protection Class	IP20
MRP (₹)	400
Std. Pkg.	20



Rated Wattage	3W
Length (A)	81
Width (B)	45
Cut-Out (C)	48

All dimensions are in mm

# LED DOWNLIGHTER MULTICOLOUR MINI 3W

Bring a playful touch to your space with this 3W downlighter, offering red, blue, and pink lighting options. Shift between colours with ease, creating the right atmosphere for any moment. Ideal for personal spaces like bedrooms and entertainment areas.

# 3 IN 1



Details	Multicolor Mini LED Downlighter
Rated Wattage	3W
Shape	Round
Cut-out size (mm)	48mm
Power Factor	>0.90
Colour Temperature	3 in 1 (Red, Blue, Pink)
Housing	Polycarbonate
Protection Class	IP20
MRP (₹)	400
Std. Pkg.	20

Rated Wattage	3W
Length (A)	81
Width (B)	45
Cut-Out (C)	48

All dimensions are in mm

# LED DOWNLIGHTER

## MOODLIGHT RECESS 6W

Switch between cool white, neutral white, and warm white light with ease, adapting your space to match your mood. The unique prismatic ring design diffuses the light softly, creating a cosy and inviting atmosphere.


# 3 IN 1



Details	Moodlight Recess Downlighter - 3CCT
Rated Wattage	6W
Lumen	480
Shape	Round
Power Factor	>0.90
Cut-out size (mm)	62mm
Colour Temperature	3 in 1 6500K, 3000K, 4000k
CRI	>80
Housing	Metal
Protection Class	IP20
MRP (₹)	550
Std. Pkg.	40

Rated Wattage	6W
Length (A)	105
Width (B)	45
Cut-Out (C)	62

All dimensions are in mm




# LED DOWNLIGHTER

## MULTICOLOUR RECESS 6W

This downlighter adds a playful touch to your space with its ability to switch between red, blue, and pink lighting. The unique prismatic ring creates an engaging glow, making it a distinctive feature in any room.


# 3 IN 1



Details	Multicolour Recess Downlighter - 3 in 1
Rated Wattage	6W
Shape	Round
Power Factor	>0.90
Cut-out size (mm)	62mm
Colour Temperature	3 in 1 (Red, Blue, Pink)
Housing	Metal
Protection Class	IP20
MRP (₹)	550
Std. Pkg.	40

Rated Wattage	6W
Length (A)	105
Width (B)	45
Cut-Out (C)	62

All dimensions are in mm



# LED SPOT LIGHT

Spotlights are perfect for showcasing what matters most in your space. Whether highlighting artwork, architectural features, or key design elements, they provide targeted, brilliant illumination that enhances your surroundings. Discover how the right spotlight can transform your home, bringing focus and flair to every corner.





Home



Office



Showroom



# LED SPOT LIGHT VIVID (1W)


Illuminate spaces that deserve special attention, like niches, cabinets, and small decorative pieces, with this compact spotlight designed for thoughtful accent lighting.



Details	LED Spotlight - Vivid
Rated Wattage	1W
Lumen	50
Shape	Round
Cut-out size (mm)	ø30mm
Power Factor	>0.90
Colour Temperature	6500K, 3000K, Red, Blue, Green, Pink
CRI	>80
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	125
Std. Pkg.	100

Rated Wattage	1W
Dia (A)	38
Height (B)	22
Cut-Out (C)	30

All dimensions are in mm



# LED SPOT LIGHT VIVID (2W)


Designed to draw attention to specific areas, this spotlight is ideal for accentuating niches, cabinets, and small details, adding a thoughtful touch to your home.



Details	LED Spotlight - Vivid
Rated Wattage	2W
Lumen	100
Shape	Round
Cut-out size (mm)	ø32mm
Power Factor	>0.90
Colour Temperature	6500K, 3000K, Red, Blue, Green, Pink
CRI	>80
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	200
Std. Pkg.	100

Rated Wattage	2W
Dia (A)	42
Height (B)	14
Cut-Out (C)	32

All dimensions are in mm



# LED SPOT LIGHT VIVID (3W)


Engineered for focused lighting, this spotlight is ideal for highlighting special features like artwork or decorative objects. It fits seamlessly into a 2-inch junction box, making it perfect for accentuating niches and cabinets with thoughtful illumination.



Details	LED Spotlight - Vivid
Rated Wattage	3W
Lumen	180
Shape	Round
Cut-out size (mm)	Ø50mm
Power Factor	>0.90
Colour Temperature	6500K, 3000K, Red, Blue, Green, Pink
CRI	>80
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	200
Std. Pkg.	50


Rated Wattage	1W
Dia (A)	75
Height (B)	27
Cut-Out (C)	50

All dimensions are in mm



# LED SPOT LIGHT VIVID STEP LIGHT


Illuminate your steps with the Vivid Step Light. This 3W light is designed to enhance safety and add a touch of elegance to staircases and pathways. Its compact design ensures a low-profile installation, providing focused, energy-efficient illumination that guides your way.



Details	Vivid Step Light
Rated Wattage	3W
Lumen(AC)	60lm
Power Factor	>0.5
Colour Temperature	3000K,
CRI	80
Shape	Round/ Square
Cut-out size (mm)	Ø35mm
Protection Class	IP 20
Housing	Aluminium
MRP (₹)	500
Std. Pkg.	50

Rated Wattage	3W
Length (A)	42
Width (B)	26
Cut-Out (C)	35

All dimensions are in mm



# EMERGENCY LIGHTS

Power gone? Lights on. Stay prepared with our emergency lights that ensure visibility during power outages. Designed for safety and convenience, they offer reliable backup to keep your home and workspaces lit when needed. With rechargeable options and extended battery life, these lights provide peace of mind and seamless functionality.



Home



Office



Retail Shop



# EMERGENCY LED LAMP

Get up to 4 hours of uninterrupted light with our Emergency LED Lamp. It automatically activates during power cuts, ensuring reliable illumination for bedrooms, studies, and living areas. The lamp also features automatic battery charging for consistent performance.




# EMERGENCY LED LAMP

Get up to 4 hours of uninterrupted light with our Emergency LED Lamp. It automatically activates during power cuts, ensuring reliable illumination for bedrooms, studies, and living areas. The lamp also features automatic battery charging for consistent performance.



Details	Emergency LED Lamp			
Rated Wattage	8W	9W	12W	15W
Lumen(AC)	800	900	1200	1500
Lumen(DC)	300	350	450	525
Power Factor	>0.90	>0.90	>0.90	>0.90
Colour Temperature	6500K	6500K	6500K	6500K
CRI	>80	>80	>80	>80
Base	B22D	B22D	B22D	B22D
Housing	Thermoplastic	Thermoplastic	Thermoplastic	Thermoplastic
Protection Class	IP 20	IP 20	IP 20	IP 20
MRP (₹)	750	950	1150	1350
Std. Pkg	20	20	20	20



Rated Wattage	8W	9W	12W 15W
Length (A)	120	140	140
Width (B)	60	70	70

All dimensions are in mm



Emergency backup upto 4 hrs




Automatic Battery Charging



Overcharging & Deep Discharge Battery Protection

Details	Emergency LED Lamp		
Rated Wattage	20W	25W	30W
Lumen(AC)	2000	2500	3000
Lumen(DC)	600	650	700
Power Factor	>0.9	>0.9	>0.90
Colour Temperature	6500K	6500K	6500K
CRI	>80	>80	>80
Base	B22	B22	B22D
Housing	Thermoplastic	Thermoplastic	Thermoplastic
Protection Class	IP 20	IP 20	IP 20
MRP (₹)	1500	1700	2000
Std. Pkg	15	15	10



Rated Wattage	20W	25W	30W
Length (A)	160	160	185
Width (B)	90	90	115

All dimensions are in mm



Emergency backup upto 4 hrs




Automatic Battery Charging




Overcharging & Deep Discharge Battery Protection

# LED BATTEN EMERGENCY

During power cuts, the Emergency LED Batten activates automatically and provides up to 3 hours of continuous light. It ensures your space remains illuminated, helping you avoid disruptions and stay prepared.



Details	Emergency Led Batten	
Rated Wattage	10W	20W
Lumen (AC)	1000	2000
Lumen (DC)	350	500
Power Factor	>0.90	>0.90
Colour Temperature	6500k	6500k
CRI	>80	>80
Protection Class	IP 20	IP 20
Housing	Polycarbonate	Polycarbonate
MRP (₹)	500	1000
Std. Pkg.	20	10



Emergency backup upto 4 hours



Automatic battery charging



Overcharging & Deep discharge battery protection

Rated Wattage	10W	20W
Length (A)	598	1100
Width (B)	24	24
cut-Out (C)	37	37

All dimensions are in mm


# LED RECESS PANEL EMERGENCY

Stay prepared during power outages with the Emergency LED Panel. This panel automatically switches on during a power cut, providing up to 3 hours of reliable illumination. It is well-suited for kitchens, hallways, and offices, ensuring that critical areas remain well-lit without interruption.

Details	Emergency LED Panel
Rated Wattage	10W
Lumen (AC)	900
Lumen (DC)	350
Shape	Round
Power Factor	>0.90
Cut-out Size	105mm
Colour Temperature	6500K
CRI	>80
Housing	Polycarbonate
Protection Class	IP 20
MRP (₹)	1000
Std. Pkg.	20

Rated Wattage	10W
Length (A)	116
Width (B)	36
Cut-Out (C)	105

All dimensions are in mm



Emergency Backup up to 3 hrs



Automatic Battery Charging




Overcharging & deep discharge battery protection





Experience the comfort of flicker-control technology with our EyeLuv lights that help reduce eye strain and fatigue. Enjoy uniform, soothing illumination that protects your eyes while enhancing your space. The EyeLuv range is best suited for environments that require constant lighting, such as classrooms, offices and homes.





# LED PANEL RECESS BACKLIT

Experience the benefits of flicker-control, glare-free lighting with this backlit panel that helps reduce eye strain and support prolonged reading or studying sessions. It creates a comfortable, stress-free atmosphere in educational, professional, and healthcare environments.




Details	EyeLuv Recess Panel Backlit		
Rated Wattage	10W	15W	20W
Lumen	1000	1500	2000
Power Factor	>.90	>.90	>.90
Colour Temperature	6500K/4000/3000K	6500K/4000/3000K	6500K/4000/3000K
Shape	Square/Round	Square/Round	Square/Round
Cut-out Size (mm)	Ø105	Ø150	Ø205
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Protection Glass	IP 20	IP 20	IP 20
CRI	>80	>80	>80
MRP (₹)	750	850	1300
Std. Pkg	20	20	10

### Round

Rated Wattage	10W	15W	20W
Length (A)	116	166	220
Width (B)	36	36	36
Cut-Out (C)	105	150	205

All dimensions are in mm



## It's Invisible. But Here's How To See It.

Flicker is the constant fluctuation of light output. It can be divided into two kinds: visible and invisible. While visible flicker can be seen with your eyes, invisible flicker occurs at a high frequency and therefore not visible to the naked eye.

- 1 Open your smartphone camera in slow-motion video mode.
- 2 Point the camera towards the lights & check for flicker.




# LED PANEL RECESS BACKLIT

### Square

Rated Wattage	10W	15W	20W
Length (A)	116x116	166x166	220x220
Width (B)	36	36	36
Cut-Out (C)	105x105	150x150	205x205

All dimensions are in mm






# LED PANEL RECESS (2x2, 36W)

Engineered with flicker-control technology, this panel provides steady, gentle light ideal for schools, hospitals, and workspaces. Perfect for long reading sessions or extended study hours, it ensures your eyes stay protected while maintaining a comfortable, focused environment.

Details	Eyeluv LED Panel 2x2
Rated Wattage	36W
Lumen	3600
Power Factor	>0.90
Colour Temperature	6500K/4000K 3000K
Shape	Square
Cut-out Size (mm)	575x575
Housing	CRCA
Protection Glass	IP 20
CRI	>80
MRP (₹)	4000
Std. Pkg	4

Rated Wattage	36W
Length (A)	595x595
Width (B)	36
Cut-Out (C)	575x575

All dimensions are in mm



# LED DOWNLIGHTER


Designed to ensure eye care, this downlighter controls flicker to deliver steady, gentle illumination. Ideal for reading, studying, and prolonged use, it offers comfortable lighting that helps protect your vision.



Details	EYELUV LED Downlighter
Rated Wattage	5W
Lumen	450
Shape	Round
Cut-out size (mm)	Ø75mm
Power Factor	>0.90
Colour Temperature	6500K, 4000K 3000K,
CRI	>80
Housing	Polycarbonate
Protection Class	IP20
MRP (₹)	500
Std. Pkg.	20

Rated Wattage	5W
Length (A)	117
Width (B)	50
Cut-Out (C)	75


All dimensions are in mm





## LED LAMP

Designed to protect your eyes with its flicker-control technology, our bulbs ensure you experience comfortable, long-lasting light without strain, making it perfect for reading, studying, or any activity that requires prolonged focus.



Details	EYELUV LED Lamp
Rated Wattage	9W
Lumen	900
Power Factor	>0.90
Colour Temperature	6500K/3000K
CRI	>80
Protection Class	IP 20
Housing	Thermoplastic
Base	B22d/E27
Beam Angle	>180°
MRP (₹)	300
Std. Pkg	25

Rated Wattage	9W
Length (A)	112
Width (B)	60

All dimensions are in mm




## LED BATTEN

The EyeLuv LED Batten enhances your space with gentle, flicker-control light that reduces eye strain. Enjoy the convenience of adjustable lighting that creates a comfortable environment for work or relaxation.

Details	EyeLuv LED Batten
Rated Wattage	20W
Lumen	2000
Power Factor	>0.90
Colour Temperature	6500k / 3000k
CRI	>80
Shape	Square
Housing	Polycarbonate
Protection Class	IP 20
Beam Angle	>120°
MRP (₹)	700
Std. Pkg.	20

Rated Wattage	20W
Length (A)	1100
Width (B)	24
Cut-Out (C)	32

All dimensions are in mm



# LED LAMPS

Efficient and versatile, LED bulbs provide bright, steady illumination while using significantly less energy compared to traditional incandescent bulbs. With adjustable colour temperatures, they can switch from cool white for functional spaces to warm white for cosy settings, making them ideal for any application.



Home



Offices



Retail Shops



Schools & Colleges



General Purpose Lighting




Restaurants



# LED LAMP MOTION SENSOR


Experience hands-free lighting with the LED Motion Sensor Bulb. It activates automatically upon detecting movement, providing convenient, energy-efficient illumination for hallways, entrances, and seldom-used areas like storerooms, bathrooms, and balconies.



Details	Motion Sensor LED Lamp
Rated Wattage	10W
Lumen	900
Power Factor	>0.90
Colour Temperature	6500K
CRI	>80
Housing	Thermoplastic
Protection Class	IP 20
Base	B22D
MRP (₹)	400
Std. Pkg	25

Rated Wattage	10W
Length (A)	110
Width (B)	60

All dimensions are in mm



# LED LAMP HIGH GLO (18W-26W)


This high-wattage LED lamp provides exceptional brightness and a wide light spread, making it ideal for larger indoor spaces like garages and work areas. It delivers up to 80% more energy savings compared to traditional incandescent bulbs, combining efficiency with high performance.



Details	LED Lamp - Eternal Shine		
Rated Wattage	18W	23W	26W
Lumen	1800	2300	2600
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	3000K/6500K	3000K/6500K	3000K/6500K
CRI	>80	>80	>80
Beam Angle	>240°	>240°	>240°
Housing	Thermoplastic	Thermoplastic	Thermoplastic
Base	B22d/E27	B22d/E27	B22d/E27
MRP (₹)	425	600	650
Std. Pkg	20	20	20


Rated Wattage	18W	23W	26W
Length (A)	150	140	
Width (B)	80	80	

All dimensions are in mm




# LED LAMP HIGH GLO

Delivers bright, wide coverage with a 180-degree beam angle, making it ideal for workspaces and living areas. It is energy-efficient, featuring a BEE 1-star rating.




Normal Bulb  
Beam Angle 120°



High Glow Bulb  
Beam Angle 180°



Details	LED Lamp - High Glo			
Rated Wattage	3W	5W	7W	9W
Lumen	300	500	700	900
Power Factor	>0.9	>0.9	>0.9	>0.9
Colour Temperature	3000K/6500K	3000K/6500K	3000K/6500K	3000K/6500K
CRI	>80	>80	>80	>80
Beam Angle	180°	180°	180°	180°
Housing	Thermoplastic	Thermoplastic	Thermoplastic	Thermoplastic
Base	B22d/E27	B22d/E27	B22d/E27	B22d/E27
MRP (₹)	140	150	160	180
Std. Pkg	60	60	60	60



Rated Wattage	3W	5W   7W	9W
Length (A)	98	100	100
Width (B)	51	55	60

All dimensions are in mm



# LED LAMP HIGH GLO


Delivers bright, wide coverage with a 180-degree beam angle, making it ideal for workspaces and living areas. It is energy-efficient, featuring a BEE 2-stars rating.



Normal Bulb  
Beam Angle 120°

High Glow Bulb  
Beam Angle 180°

Details	LED Lamp - High Glo			
Rated Wattage	8W	10W	12W	15W
Lumen	840	1050	1260	1575
Power Factor	>0.90	>0.90	>0.90	>0.90
Colour Temperature	3000K/6500K	3000K/6500K	3000K/6500K	3000K/6500K
CRI	>80	>80	>80	>80
Beam Angle	180°	180°	180°	180°
Housing	Thermoplastic	Thermoplastic	Thermoplastic	Thermoplastic
Base	B22d/E27	B22d/E27	B22d/E27	B22d/E27
MRP (₹)	175	200	300	350
Std. Pkg	60	60	60	60




Rated Wattage	8W	10W	12W	15W
Length (A)	100	112	120	120
Width (B)	55	60	65	65

All dimensions are in mm

# LED LAMP ETERNAL SHINE (30W-60W)

Designed for spaces that demand powerful lighting, this high-wattage LED lamp provides intense brightness with broad coverage. Ideal for commercial spaces, large halls, and outdoor areas, it saves 80% more energy than traditional incandescent bulbs while delivering superior illumination.



Details	LED Lamp - Eternal Shine			
Rated Wattage	30W	40W	50W	60W
Lumen	3000	4000	5000	6000
Power Factor	>0.90	>0.90	>0.90	>0.90
Colour Temperature	3000K/6500K	3000K/6500K	3000K/6500K	3000K/6500K
CRI	>80	>80	>80	>80
Beam Angle	120°	120°	120°	120°
Housing	Thermoplastic	Thermoplastic	Thermoplastic	Thermoplastic
Base	B22d/E27	B22d/E27	B22d/E27	B22d/E27
MRP (₹)	700	800	1200	1600
Std. Pkg	10	10	10	10


Rated Wattage	30W	40W	50W	60W
Length (A)	170	195	220	220
Width (B)	100	120	140	140

All dimensions are in mm

# LED LAMP ORISMART

The Orismart LED lamp blends advanced technology with smart features and offers 16 million colours to choose from.

Controlled via the Orient Smart App, you can easily adjust brightness, select colours, and set the perfect mood settings for the ambiance you want.



Details	Orismart LED lamp
Rated Wattage	10W
Lumen	850
Holder Base	B22d
Power Factor	>0.90
Colour Temperature	16 million RGB colour
CRI	>80
Housing	Thermoplastic
Base	B22D
MRP (₹)	2000
Std. Pkg	20

Rated Wattage	10W
Length (A)	130
Width (B)	65

All dimensions are in mm



Wi-Fi-Enabled



Operate Via Orient Smart App



Compatible with Amazon Alexa and Google Home



RGB Lights  
16 Million Colours



Brightness Control: 1-100%



Operate Similar Lamps Together



Orismart LED Bulb

## SET THE SCENE IN EVERY HUE

Set the perfect mood with 16 million colors to choose from.

Whether you're unwinding or hosting, its soft, adjustable lighting helps you create the ideal ambiance for any moment.

Our customisable lights adapt to your needs with vibrant or soothing tones. Tailor your lighting to match your activities or preferences, all from the convenience of your smartphone via our app.



# LED LAMP DECO RAINBOW

The Deco Rainbow LED Night Lamp transitions through seven colours. It cycles through the colours to create a dynamic, vibrant effect in any room. This feature makes it a great addition to children's rooms or for adding a festive touch to your decor.




**7** Automatic colour changes in single bulb

Violet | Indigo | Blue | Green | Yellow | Orange | Red

Details	DECO Rainbow LED Night Lamp
Rated Wattage	0.5W
Housing	Polycarbonate
Protection Class	IP 20
Colours Temperature	Auto Colour Changing (7 Primary Colour)
Base	B22d
MRP (₹)	99
Std. Pkg	48

Rated Wattage	0.5W
Length (A)	70
Width (B)	45

All dimensions are in mm



# CANDLE LAMP


Enhance your space with Orient Electric's uniquely designed LED bulbs. Warm, inviting and just right for accent lighting in living rooms, bedrooms, and dining areas.



Details	LED Lamps - Decorative
Rated Wattage	2.7W
Lumen	270
Power Factor	>0.90
Colour Temperature	3000K/6500K
CRI	>80
Protection Class	IP 20
Base	E14
MRP (₹)	250
Std. Pkg	50


Rated Wattage	2.7W Candle Lamp
Length (A)	106
Width (B)	36

All dimensions are in mm



# LED LAMP DECO PLUG

Plug this lamp into any 2-pin socket for convenient, soft night lighting. With minimal power consumption and available in various colours, it is ideal for bedrooms, bathrooms, and corridors, ensuring safe illumination throughout the night.




Details	DECO Plug LED - Night Lamp
Rated Wattage	0.5W
Housing	Polycarbonate
Protection Class	IP 20
Colours	White, Yellow, Green, Red, Blue & Pink
MRP (₹)	95
Std. Pkg.	48

Rated Wattage	0.5W
Length (A)	68
Width (B)	45
Height (C)	70

All dimensions are in mm

# LED LAMP DECO SHINE

A night lamp that consumes minimal power, even when left on all night. Available in multiple colours, it is perfect for bedrooms and hallways, offering soft, all-night illumination.



Details	DECO Shine LED Night Lamp
Rated Wattage	0.5W
Housing	Polycarbonate
Protection Class	IP 20
Colours	White, Yellow, Green, Red, Pink & Blue
Base/Cap	B22d
MRP (₹)	60
Std. Pkg.	48

Rated Wattage	0.5W
Length (A)	70
Width (B)	45

All dimensions are in mm

# LED LAMP

## 3 IN 1 MULTICOLOUR

Transform your space with this versatile bulb that comes with red, blue, and pink lighting options. Adjust the ambiance to match your mood, infusing side table lamps or other areas with rich, colourful light.




Red




Blue



Pink



# 3 IN 1



Details	LED Lamp - High Glo RBP
Rated Wattage	7W
Power Factor	>0.90
Colours Temperature	3 in 1 (Red, Blue & Pink)
Beam Angle	180°
Housing	Polycarbonate
Base	B22D
MRP (₹)	250
Std. Pkg.	25

Rated Wattage	7W
Length (A)	112
Width (B)	60

All dimensions are in mm

# LED LAMP

## 3 IN 1 (MOODLIGHT)

Experience three lighting moods—cool white, neutral white, and warm white—in one lamp. Adjust the colour to suit your mood or activity with a simple flip of the switch. Ideal for living rooms, bedrooms, and any space that benefits from versatile lighting.




Cool White



Warm White



Neutral White



# 3 IN 1



Details	LED Lamp - 3 in 1 (Moodlight)
Rated Wattage	9W
Lumen	900
Power Factor	>0.90
Colour Temperature	3 in 1 (6500K/4000K/3000K)
CRI	>80
Beam Angle	180°
Housing	Polycarbonate
Base	B22D
MRP (₹)	225
Std. Pkg.	60

Rated Wattage	9W
Length (A)	112
Width (B)	60

All dimensions are in mm

# LED BATTENS

Streamline your space with LED battens. These sleek fixtures deliver bright, even light with minimal glare and low energy consumption, perfect for large areas like living spaces and kitchens.



Home



Offices



Retail Shops



Schools &  
Colleges



General Purpose  
Lighting





Restaurants




# LED BATTEN ORISMART

Adjust your home's lighting to match your mood with the Orismart LED Batten. Control the lights from anywhere using the Orient Smart App, and manage multiple lights seamlessly for a customised ambiance.




Details	Led Batten Orismart
Rated Wattage	20W
Lumen	2000
Power Factor	>0.90
Colour Temperature	3000k-6500k
CRI	>80
Shape	Square
Housing	Polycarbonate
Protection Class	IP 20
MRP (₹)	2500
Std. Pkg.	20



Compatible with Amazon Alexa & Google Home



3000K to 6500K CCT




Operate Similar Batten Together

Rated Wattage	20W
Length (A)	1185
Width (B)	24
Height (C)	37

All dimensions are in mm

# LED BATTEN MOTION SENSOR

Experience seamless illumination with the LED Motion Sensor Batten. Designed to light up automatically when movement is detected, it is perfect for spaces like hallways, staircases, and storage areas. Enjoy hands-free convenience and energy efficiency, making it an ideal choice for infrequently used spaces.



Details	LED Batten Motion Sensor
Rated Wattage	20W
Lumen	2000
Power Factor	>0.90
Colour Temperature	6500K
CRI	>80
Shape	Square
Housing	Polycarbonate
Protection Class	IP 20
MRP (₹)	1000
Std. Pkg.	20

Rated Wattage	20W
Length (A)	1135
Width (B)	28
Height (C)	32


All dimensions are in mm




Stays off when no movement detected



Auto ON when it senses any movement within 15ft range



Auto OFF if no movement is detected after 17 sec.




# LED BATTEN SUNLIGHT

Delivers high-intensity, daylight-mimicking illumination, ideal for workstations and expansive areas. 60% more efficient than traditional fluorescent tubes, with aluminium housing for superior heat management during extended use.

Details	Grace Sunlight Batten				
Rated Wattage	20W (2 feet)	24W	28W	40W	48W
Lumen	2000	2400	2800	4000	5000
Power Factor	>0.90	>0.90	>0.90	>0.90	>0.90
Colour Temperature	6500k	6500k	6500k	6500k/3000k	6500k
CRI	>80	>80	>80	>80	>80
Shape	Square	Square	Square	Square	Square
Protection Class	IP 20	IP 20	IP 20	IP 20	IP 20
Housing	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
MRP (₹)	650	700	800	850	1200
Std. Pkg.	20	20	20	20	20


Rated Wattage	20W	24W	28W	40W	48W
Length (A)	555	1185	1185	1185	1185
Width (B)	24	24	24	24	32
Height (C)	37	37	37	37	41

All dimensions are in mm



# LED BATTEN 3 IN 1 (GRACE MOODLIGHT)

The Grace Moodlight LED Batten delivers 3 lighting modes- cool white, neutral white, and warm white-in one fixture. Easily switch between bright, balanced, or warm light to suit any mood or setting.



# 3 in 1



Details	LED Batten - 3 in 1 (Grace Moodlight)
Rated Wattage	20W
Lumen	2000
Power Factor	>0.90
Colour Temperature	3 in 1 (6500K, 3000K, 4000k)
CRI	>80
Shape	Square
Housing	Polycarbonate
Protection Class	IP 20
MRP (₹)	650
Std. Pkg.	20


Rated Wattage	20W
Length (A)	1135
Width (B)	24
Height (C)	37

All dimensions are in mm



# LED BATTEN GRACE DELITE

The Grace Delite LED Batten provides bright, efficient lighting with a sleek, neat design. Perfect for illuminating a variety of spaces, its uniform light distribution ensures a well-lit environment, whether used in homes or offices. It is 60% more efficient than traditional fluorescent tubes and comes in plastic encasing for enhanced aesthetics.



Details	Grace Pro Batten				Grace Delite Batten		
Rated Wattage	5W	10W	20W	20W(2feet)	22W	24W	36W
Lumen	450	1000	2000	2000	2200	2400	4000
Power Factor	>0.90	>0.90	>0.90	>0.90	>0.90	>0.90	>0.90
Colour Temperature	6500K, 3000K, 4000K	6500K, 3000K, 4000K	6500K, 3000K, 4000K, Red, Green, Pink,Blue	6500K, 3000K, 4000K, Red, Green, Pink,Blue	6500K, 3000K, 4000K	6500K, 3000K, 4000K	6500K, 3000K, 4000K
CRI	>80	>80	>80	>80	>80	>80	>80
Shape	Square	Square	Square	Square	Square	Square	Square
Protection Class	IP 20	IP 20	IP 20	IP 20	IP 20	IP 20	IP 20
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
MRP (₹)	300	450	550	550	650	650	800
Std. Pkg.	20	20	30	20	20	20	20

	Grace Pro Batten			LED Batten Grace Delite			
Rated Wattage	5W	10W	20W	20W	22W	24W	36W
Length (A)	300	600	1100	1185	1100	1185	1185
Width (B)	22	22	22	24	24	24	33
Height (C)	30	30	30	32	37	37	40



# LED BATTEN TIRANGA


Featuring a unique design that combines three distinct colours in one fixture, the Tiranga LED Batten has the ability to light up in all three colours simultaneously, providing versatile and dynamic illumination.



Details	Tiranga LED Batten
Rated Wattage	20W
Power Factor	>0.90
Colour Temperature	Tricolor( Saffron-white-Green)
CRI	>80
Shape	Square
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	550
Std. Pkg.	20


Rated Wattage	20W
Length (A)	1100
Width (B)	20
Height (C)	30

All dimensions are in mm



# LED TUBE ORILINA

Bright, energy-efficient tubes, perfect for a variety of spaces, from offices and classrooms to kitchens and garages. With their long lifespan and low energy consumption, these tubes help reduce maintenance and energy costs.



Details	LED Tube Orilina
Rated Wattage	20W
Lumen	2000
Power Factor	>0.90
Colour Temperature	6500k
CRI	>80
Shape	Round
Housing	Polycarbonate
Protection Class	IP 20
MRP (₹)	800
Std. Pkg.	20

Rated Wattage	20W
Length (A)	1212
Width (B)	29

All dimensions are in mm



# OUTDOOR LIGHTS

Light up your surroundings with our outdoor lights. Our lights provide broad, reliable illumination for roads and pathways, enhancing security in public and private spaces. For larger areas, our powerful LED flood lights are ideal for illuminating building facades, parking lots, gardens, and parks, offering efficient, wide-reaching coverage. Designed to withstand the elements, these lights deliver durable, energy-efficient performance for all your outdoor needs.



# LED STREET LIGHT RAZOR

The Razor LED Street Light offers efficient, high-performance lighting for streets and public spaces. With a modern design and energy-saving technology, it ensures bright, reliable illumination for safer, well-lit environments.





Details	Razor LED Street Light		
Rated Wattage	24W	40W	50W
Lumen	2400	4000	5000
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	6500K	6500K	6500K
Protection Class	IP 65	IP 65	IP 65
Housing	Aluminium	Aluminium	Aluminium
MRP (₹)	2000	4000	5000
Std. Pkg	20	10	10

Rated Wattage	24W	40W	50W
Length (A)	242	280	320
Width (B)	106	122	148
Height (C)	60	60	60

All dimensions are in mm

# LED STREET LIGHT MODERNA

Combines a sleek design with advanced lighting technology to deliver superior brightness and achieve up to 80% energy savings over conventional streetlights. Ideal for enhancing visibility and efficiency in outdoor spaces.



Details	LED Street Light Moderna	
Rated Wattage	20W	30W
Lumen	2000	3000
Power Factor	>0.9	>0.9
Colour Temperature	6500K	6500K
Housing	Polycarbonate	Polycarbonate
Protection Class	IP 66	IP 66
MRP (₹)	1500	2500
Std. Pkg	10	10

Rated Wattage	20W	30W
Length (A)	258	310
Width (B)	84	100
Height (C)	57	57




All dimensions are in mm

# LED STREET LIGHT LIGHT SENSOR

Automatically adjusts to ambient light, ensuring your streets and outdoor areas are well-lit at all times. Designed for efficiency and reliability, it is a practical choice for safe and secure environments.



Details	Light Sensor Street Light
Rated Wattage	45W
Lumen	4500
Power Factor	>0.9
Colour Temperature	6500K
Shape	IP66
Protection Class	Aluminium
MRP (₹)	4500
Std. Pkg	10




Rated Wattage	45W
Length (A)	315
Width (B)	129
Height (C)	61

All dimensions are in mm

# LED FLOOD LIGHT RAZOR

Illuminate large outdoor spaces with the Razor Flood Light. Its sleek design and advanced LED technology provide powerful, even lighting, making it ideal for areas like stadiums, facades, and outdoor events.

Details	LED Flood Light Razor		
Rated Wattage	30W	50W	100W
Lumen	3000	5000	10000
Power Factor	>0.9	>0.9	>0.9
Colour Temperature	6500K	6500K	6500K
Protection Class	IP 65	IP 65	IP 65
Beam Angle	60°	60°	60°
Housing	Aluminium	Aluminium	Aluminium
MRP (₹)	2500	3500	5000
Std. Pkg	10	10	5



Rated Wattage	30W	50W	100W
Length (A)	200	245	295
Width (B)	160	190	218
Height (C)	35	35	44

All dimensions are in mm



# LED FLOOD LIGHT SLIM (10W - 50W)


Slim and efficient, this LED flood light is ideal for illuminating large spaces such as building façades, home exteriors, gardens, and parks. Its streamlined design enhances the overall visual appeal of spaces.



Details	LED Flood Light Razor Plus (10W - 50W)			
Rated Wattage	10W	20W	30W	50W
Lumen	1000	2000	3000	5000
Power Factor	>0.9	>0.9	>0.9	>0.9
Colour Temperature	3000K/6500K	3000K/6500K	3000K/6500K	3000K/6500K
Housing	Aluminium Die Casting	Aluminium Die Casting	Aluminium Die Casting	Aluminium Die Casting
Protection Class	IP 65	IP 65	IP 65	IP 65
MRP (₹)	1500	2500	3500	4500
Std. Pkg	40	40	10	4

Rated Wattage	10W	20W	30W	50W
Length (A)	115	145	185	205
Width (B)	90	110	135	165
Height (C)	29.5	33.5	36	42

All dimensions are in mm



# LED FLOOD LIGHT SLIM (70W - 200W)


Ideal for large area lighting like stadiums, outdoor events, and façades lighting, this LED flood light is designed with a sleek, slim profile that adds a premium aesthetic to any setting.



Details	LED Flood Light Slim (70W - 200W)			
Rated Wattage	70W	100W	150W	200W
Lumen	7000	10000	13500	18000
Power Factor	>0.9	>0.9	>0.9	>0.9
Colour Temperature	3000K/6500K	3000K/6500K	3000K/6500K	3000K/6500K
Housing	Aluminium Die Casting	Aluminium Die Casting	Aluminium Die Casting	Aluminium Die Casting
Protection Class	IP 65	IP 65	IP 65	IP 65
MRP (₹)	5500	7000	10000	14000
Std. Pkg	10	04	05	04

Rated Wattage	70W	100W	150W	200W
Length (A)	229	285	340	400
Width (B)	165	220	250	300
Height (C)	40	48	55	55



All dimensions are in mm



# LED BULKHEAD

Versatile and easy to install, this LED bulkhead light is suitable for both indoor and outdoor use, making it a practical choice for homes and office spaces. With IP65 protection, it is resistant to dust and water, ensuring reliable performance in various conditions.

Details	LED Bulkhead		
Rated Wattage	5W	12W	20W
Lumen	450	1080	1600
Power Factor	>0.90	>0.90	>0.90
Colour Temperature	6500K/3000K	6500K/3000K	6500K/3000K
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Protection Class	IP 66	IP 66	IP 66
MRP (₹)	350	700	1100
Std. Pkg	50	50	20




Rated Wattage	5W	12W	20W
Length (A)	117	165	240
Width (B)	44	85	120
Height (C)	61	65	46

All dimensions are in mm



# SPIKE LIGHT


Perfect for accentuating your garden or pathway, this light easily stakes into the ground, casting focused illumination wherever you need it. Ideal for highlighting landscaping features or creating a welcoming outdoor atmosphere.



Details	Spike Light	
Rated Wattage	6W	12W
Lumen	390	780
Power Factor	>0.9	>0.9
Colour Temperature	6500K/3000K/4000K/ RED/BLUE/GREEN	6500K/3000K/4000K/ RED/BLUE/GREEN
Shape	Round	Round
Housing	Aluminium	Aluminium
Protection Class	IP65	IP65
MRP (₹)	1500	2000
Std. Pkg	20	20

Rated Wattage	6W	12W
Length (A)	79	89
Width (B)	60	70
Height (C)	310	320

All dimensions are in mm



# LED DESK LAMPS

Our LED Desk Lamp range combines modern design with functional lighting, making them ideal for workspaces or bedside tables. With adjustable brightness and sleek, space-saving designs, they seamlessly integrate into any decor while offering power backup for uninterrupted illumination when you need it most.



Home



Offices



Library

# DESK LAMP CRESCENT

With its sleek, curved design and adjustable neck, this lamp provides a soft, focused glow. It features dimmable light and a 3-hour backup, making it ideal for late-night work and reading in any modern setting.




Details	LED Desk Lamp - Crescent
Rated Wattage	3W
Operation Type	Rechargeable
Colour Temperature	3CCT (White, Warm White, Natural White)
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	900
Std Pkg.	60

Rated Wattage	Length (A)	Width (B)	Height (C)
3W	115	115	400

All dimensions are in mm

# DESK LAMP TWINKLE

Compact and sleek, this lamp offers an adjustable light throw and minimal design. With dimmable light and a 3-hour backup, it's perfect for study or relaxation, adding versatility to any space.



Details	LED Desk Lamp - Twinkle
Rated Wattage	3W
Operation Type	Rechargeable
Colour Temperature	3CCT (White, Warm White, Natural White)
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	850
Std Pkg.	60

Rated Wattage	Length (A)	Width (B)	Height (C)
3W	120	90	320

All dimensions are in mm


# DESK LAMP WAVE

Illuminate your desk with steady, bright light from this sleek, modern lamp. It comes with dimmable light and a 3-hour backup, ensuring optimal lighting for any task.

Details	LED Desk Lamp - Wave
Rated Wattage	3W
Operation Type	Rechargeable
Colour Temperature	3CCT (White, Warm White, Natural White)
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	950
Std Pkg.	80

Rated Wattage	Length (A)	Width (B)	Height (C)
3W	143	20	265

All dimensions are in mm




# DESK LAMP LINEAR

Featuring clean lines and a straightforward design, this lamp provides bright, direct lighting. With dimmable settings and a 3-hour backup, it's perfect for focused tasks and adaptable to various needs.

Details	LED Desk Lamp - Linear
Rated Wattage	3W
Operation Type	Rechargeable
Colour Temperature	3CCT (White, Warm White, Natural White)
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	1350
Std Pkg.	30

Rated Wattage	Length (A)	Width (B)	Height (C)
3W	140	100	340

All dimensions are in mm



# LED LAMP LANTERN


Blending traditional lantern aesthetics with modern functionality, this lamp emits a warm, inviting light, perfect for cozy reading corners or adding a rustic touch to your study. With dimmable light and a 4-hour backup, its rechargeable feature enhances convenience and versatility.



Details	LED Lamp Lantern
Rated Wattage	5W
Operation Type	Rechargeable
Colour Temperature	White
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	850
Std Pkg.	100

Rated Wattage	Length (A)	Width (B)	Height (C)
5W	100	100	135

All dimensions are in mm



# DESK LAMP ELLIPSE


With its flexible, elliptical design, this lamp delivers wide, even lighting. It offers dimmable light and a 3-hour backup, making it ideal for tasks that require concentration in contemporary settings.



Details	LED Desk Lamp - Ellipse
Rated Wattage	3W
Operation Type	Rechargeable
Colour Temperature	3CCT (White, Warm White, Natural White)
Protection Class	IP20
Housing	Polycarbonate
MRP (₹)	650
Std Pkg.	100



Rated Wattage	Length (A)	Width (B)	Height (C)
3W	100	100	395

All dimensions are in mm



# DESK LAMP COSMOS

Casting a gentle, encompassing light, this lamp is perfect for late-night work or study. Its sleek design adds a touch of celestial charm while offering adjustable settings for a personalized lighting experience.




Details	LED Desk Lamp - Cosmos
Rated Wattage	7W
Operation Type	Direct 230V AC
Colour Temperature	3CCT (White, Warm White, Natural White)
Protection Class	IP20
Housing	Polycarbonate
MRP (₹)	1700
Std Pkg.	30

Rated Wattage	Length (A)	Width (B)	Height (C)
7W	140	150	470

All dimensions are in mm

# DESK LAMP OVAL

This versatile lamp features a sleek oval shape and balanced lighting. Its compact design and adjustable neck make it a great fit for both work and relaxation, integrating smoothly into any modern decor.





Details	LED Desk Lamp - Oval
Rated Wattage	7W
Operation Type	Direct 230V AC
Colour Temperature	3CCT (White, Warm White, Natural White)
Protection Class	IP 20
Housing	Polycarbonate
MRP (₹)	1500
Std Pkg.	27

Rated Wattage	Length (A)	Width (B)	Height (C)
7W	140	190	280

All dimensions are in mm


# HOME DECOR SERIES & ACCESSORIES

Transform your home's exterior and interior with lighting that embodies your personal style. From captivating wall lights to sophisticated gate lights, each design is crafted to bring out the finest details. Whether it's lighting up the pathway to your home, illuminating the façade, or enriching the beauty of your outdoor spaces, our lights create a warm and lasting impression.



# DECO WALL LIGHT K TYPE


Featuring a contemporary, sharp look with clean lines and an adjustable head, its up-and-down light throw accentuates wall features and creates focused illumination for various spaces.



Details	Wall Light	
Rated Wattage	3W	6W
Lumen	225	450
Power Factor	>0.9	>0.9
Colour Temperature	3000K/4000K/6500K	3000K/4000K/6500K
Protection Class	IP 54	IP 54
Housing	Polycarbonate	Polycarbonate
MRP (₹)	700	1000
Std. Pkg	40	20

Rated Wattage	Length (A)	Length (B)	Height (C)
3W	81	81	70
6W	147	82	65

All dimensions are in mm



# DECO WALL LIGHT UP-DOWN


Illuminate your home's exterior with the Deco Wall Light, designed to throw light both upwards and downwards. This fixture not only highlights architectural features but also creates captivating patterns on the wall, turning your exterior into a work of art.



Details	Wall Light Up-Down			
Rated Wattage	2W Up-down	4W Up-down	6W Up-down	4W Ball, 4 Way
Lumen	140	280	420	280
Power Factor	>0.9	>0.9	>0.9	>0.9
Colour Temperature	3000K/4000K/6500K Red, Blue, Green	3000K/4000K/6500K Red+Blue, Red+Green	3000K/4000K/6500K RGB	3000K/4000K/6500K
Protection Class	IP 54	IP 54	IP 54	IP 54
Housing	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
MRP (₹)	600	1000	1350	1000
Std. Pkg	20	20	20	20

Rated Wattage	Length (A)	Width (B)	Height (C)
2W Up-down	86	62	36
4W Up-down	100	80	36
6W Up-down	153	80	41
4W Ball	76	76	46

All dimensions are in mm



# FLEXI SPOT LIGHT


Adjust and direct light exactly where you need it with this flexible spotlight. Whether it is for reading, or creating focused ambiance, it is a versatile addition to any room.



Details	Flexi Spot Light
Rated Wattage	3W
Lumen	210
Shape	Round
Power Factor	>0.5
Colour Temperature	6500K/4000K/3000K
CRI	>80
Protection Class	IP 20
Housing	Aluminium
MRP (₹)	1000
Std. Pkg	20

Rated Wattage	Length (A)	Length (B)
3W	65	210

All dimensions are in mm



# DECO CABINET LIGHT


The Deco Cabinet Light offers sleek, unobtrusive lighting for shelves and cabinets. Its slim design ensures a clean look while providing effective illumination for your display items or workspace.



Details	Deco Cabinet Light	
Rated Wattage	5W	10W
Lumen	400	800
Power Factor	>0.9	>0.9
Colour Temperature	3000K/4000K/6500K	3000K/4000K/6500K
Housing	Aluminium Die Casting	Aluminium Die Casting
MRP (₹)	600	700
Std. Pkg	50	50

Rated Wattage	Length (A)	Length (B)	Height (C)
5W	295	17	8
10W	583	17	8

All dimensions are in mm



# DECO MUSHROOM-GATE LIGHT FIXTURE



With a distinctive mushroom shape, this gate light fixture brings a welcoming warmth to entryways. Its gentle, diffused glow improves visibility while creating a pleasant environment.



Details	Deco Mushroom
Rated Wattage	Up to 12W / 14W
Finish	Prismatic
Shape	Mushroom
Size	200 mm Diameter
Input Voltage (V)	220-240V AC
Mounting Arrangement	Pole, min. 50-60mm inner dia
Holder Base	B22d
Housing	Unbreakable Polycarbonate
Protection Class	IP 65
MRP (₹)	800
Std. Pkg	12

Rated Wattage	Length (A)	Length (B)
12W / 14W	225	225

All dimensions are in mm




# DECO

## OVAL PRISMATIC GATE LIGHT FIXTURE

The prismatic design of this gate light fixture ensures even, glare-free illumination. Ideal for lighting pathways and entrances, it offers both practical functionality and a refined appearance.



Details	Deco Oval 150 Prismatic	Deco Oval 200 Prismatic
Rated Wattage	Up to 9W	Up to 12W/14W
Finish	Prismatic	Prismatic
Shape	Oval	Oval
Size	150 mm Diameter	200 mm Diameter
Input Voltage (V)	220-240V AC	220-240V AC
Mounting Arrangement	Pole, min. 50-60mm inner dia	Pole, min. 50-60mm inner dia
Holder Base	B22d	B22d
Housing	Unbreakable Polycarbonate	Unbreakable Polycarbonate
Protection Class	IP 65	IP 65
MRP (₹)	600	800
Std. Pkg	12	12



Rated Wattage	Size	Width (B)	Height (C)
9W	150 Prismatic	178	150
12W / 14W	200 Prismatic	220	200

All dimensions are in mm


# DECO

## GLOBE FROSTED GATE LIGHT FIXTURE

With a frosted globe design, this light provides a soft, diffused light that enhances safety and ambiance around your home's entrance or garden.



Details	Deco Globe 150 Frosted
Rated Wattage	Up to 9W
Finish	Frosted
Shape	Round
Size	150 mm Diameter
Input Voltage (V)	220-240V AC
Mounting Arrangement	Pole, min. 50-60mm inner dia
Holder Base	B22d
Housing	Unbreakable Polycarbonate
Protection Class	IP 65
MRP (₹)	650
Std. Pkg	12



Rated Wattage	Length (A)	Length (B)
9W	178	150



All dimensions are in mm

# DECO WALL LIGHT GLOBE

With its classic globe shape, this wall light adds a timeless touch to any space. It provides even illumination, enhancing both indoor and outdoor areas with a blend of style and practicality.



Details	Deco Wall Light Globe
Rated Wattage	Up to 9W
Finish	Frosted
Shape	Round
Size	150 mm Diameter
Input Voltage (V)	220-240V AC
Mounting Arrangement	Wall Mount
Holder Base	B22d
Housing	Unbreakable Polycarbonate
Protection Class	IP 65
MRP (₹)	700
Std. Pkg	12



Rated Wattage	Length (A)	Length (B)
9W	200	180

All dimensions are in mm



# DECO WALL LIGHT FROSTED


The frosted finish of this wall light softens light distribution, creating a gentle, inviting glow. Ideal for both indoor and outdoor use, it adds a sleek, modern touch to your space.



Details	Deco Wall Light Frosted
Rated Wattage	Up to 9W
Finish	Frosted
Shape	Cylindrical
Size	110 mm Diameter, 160mm Height
Input Voltage (V)	220-240V AC
Mounting Arrangement	Wall Mount
Holder Base	B22d
Housing	Thermoplastic
Protection Class	IP 20
MRP (₹)	600
Std. Pkg	12

Rated Wattage	Length (A)	Length (B)
9W	160	140

All dimensions are in mm



## SURFACE MOUNTING RING LED RECESS PANELS

Provides a secure and sleek installation for LED recess panels, ensuring they fit seamlessly into your space while maintaining a clean, modern look.



Details	Surface Mounting Ring for LED Recess Panel						
Rated Wattage	6W	12W	18W	10W	15W	20W	6W Rainbow
Shape	Round/Square		Round/Square		Round/Square		
Housing	Polycarbonate		Polycarbonate		Polycarbonate		
MRP (₹)	250	300	400	150	200	250	200
Std. Pkg.	20	20	20	20	20	20	20

## ROPE LIGHT ADAPTER

A necessary accessory for connecting and powering your LED rope lights, ensuring they provide bright, continuous illumination for any setting.



Details	Rope Light Adapter 120 LED
Rated Wattage	400W
Power Factor	>0.90
MRP (₹)	300
Std. Pkg.	20

## LED DRIVER

Ensures reliable and consistent power for your LED lighting, enhancing performance and longevity. An essential component for maintaining smooth, efficient light output.



Details	24W, 12V/2A	60W, 12V/5A	72W, 12V/6A
Rated Wattage	24W	60W	72W
Output Voltage	12V	12V	12V
Output Current (Max.)	2A	5A	6A
Housing	Polycarbonate	Polycarbonate	Polycarbonate
Design	CV, CC	CV, CC	CV, CC
MRP (₹)	300	700	1000
Std. Pkg.	30	30	30

### APPLICATIONS

- LED Drivers provide 12V DC output voltage and are suitable to operate devices like strip, modules etc.

## LED TORCH

The LED Torch is a compact, portable lighting solution designed for reliability and brightness. Perfect for emergencies or outdoor activities, it offers strong illumination with long battery life and a durable build.



Ranger Dual



Ranger Solar

Details	Bolt	Ranger Dual	Ranger Solar
Rated Wattage	1W	1W	3W
Color Temperature	Cool White	Cool White	White
Protection Class	IP 20	IP 20	IP 20
Housing	Polycarbonate	Polycarbonate	Polycarbonate
MRP (₹)	200	400	1000
Std. Pkg.	50	50	24



Bolt

## LED ROPE LIGHT

LED Rope Lights are ideal for illuminating outdoor spaces and adding a festive touch. Their flexible design makes them easy to install and customise, allowing you to create various patterns and effects. Whether decorating gardens, or enhancing event setups, these lights provide vibrant, long-lasting illumination.



Details	LED Rope Light					
Rated Wattage	4W / Mtr.	8W / Mtr.	8W / Mtr.	8W / Mtr.	8W / Mtr.	4W / Mtr.
Number of LED Per Meter	60	120	120	120	120	48
Lumen	15000	30000	3000	6000	NA	NA
CCT	6500k, 3000k Blue, Green, Pink	6500k, 3000k Blue, Green, Pink, Ice Blue, Amber	6500k, 3000k Blue, Green, Pink, Red	6500k, 3000k Blue, Green, Pink, Red	Tricolor-Saffron/ White/ Green	Multicolor
Length (m)	50	50	5	10	15	10
MRP (₹)	12500	15000	2000	3000	4000	3000
Std. Pkg.	4	2	10	5	5	5

## LED STRIP LIGHT

These come in a vast range of colours and effects to enhance your home decor. Ideal for cove lighting, behind mirrors, kitchens, and any area that benefits from accent or concealed illumination.



Details	Strip Light		
Rated Wattage	24W	48W	60W
Lumen	2500	3500	5500
Protection Class	IP 20	IP 20	IP20
Colour Temperature	6500K, 3000K Red/Blue/ Green/Pink/ Ice Blue/Amber	6500K, 3000K, 4000K	6500K, 3000K, 4000K
Length (m)	5	5	5
MRP (₹)	800	1000	2500
Std. Pkg.	50	50	50

## LED FESTIVE STRING LIGHT

Add a festive sparkle to your celebrations with our LED string lights. Perfect for draping around balconies, windows, or doorways, these lights create a warm and inviting atmosphere. Whether you're decorating for a festival or a special occasion, their soft, ambient glow brings a magical touch to any setting.

Details	Joylite Pixel	Joylite Diamond	Joylite Crystal
Rated Wattage	3W	3W	3W
LED Diameter	5mm	8mm	5mm
Protection Class	IP 20	IP 20	IP 20
Colour Temperature	White, Red, Warm White, Blue, Green, Pink, Multicolour	RG-RB	Warm White, Multicolour
Length (m)	10	10	3.5
MRP (₹)	400	400	350
Std. Pkg.	50	50	50

MADE IN INDIA



## LED TORAN LIGHT

Radiant LED Toran Lights enhance any space with soft illumination and decorative light patterns. With IP20 protection, they are perfect for bringing a dash of celebration to your surroundings.

Details	Joylite Golden Toran
Rated Wattage	3W
Colour Temperature	Warm White
Protection Class	IP 20
Length (m)	10
MRP (₹)	450
Std. Pkg.	50



## LED CURTAIN LIGHT

Add allure to any setting with LED Curtain Lights that come with IP20 protection.

Details	Joylite Diya	Joylite Star	Joylite Mannat Ball
Rated Wattage	5W	5W	5W
Colour Temperature	Warm White	Warm White	Warm White
Protection Class	IP 20	IP 20	IP 20
Length (ft)	12	12	12
MRP (₹)	800	800	950
Std. Pkg.	30	30	24



## LED CURTAIN LIGHT

Add a dazzling touch to any space with the cascading illumination of curtain lights. Perfect for festive decorations, creating a stunning backdrop, or adding a magical glow to your windows and walls, these lights offer both a celebratory feeling and versatility.

Details	Joylite Ganesh ji	Joylite Swastik
Rated Wattage	3W	3W
Colour Temperature	Warm White	Warm White
Protection Class	IP 20	IP 20
Length (ft)	12	12
MRP (₹)	600	600
Std. Pkg.	50	50





